

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Product name Ground Force 10W-40 Product number 7450 Internal identification GHS21580 **REACH** registration number n/a Mixture 1.2. Relevant identified uses of the substance or mixture and uses advised against Identified uses Engine oil. Uses advised against No specific uses advised against are identified. 1.3. Details of the supplier of the safety data sheet Supplier Morris Lubricants **Castle Foregate** Shrewsbury Shropshire SY1 2EL +44 (0) 1743 232200 +44 (0) 1743 353584 sds@morris-lubricants.co.uk Manufacturer MORRIS LUBRICANTS **Castle Foregate** Shrewsbury Shropshire SY1 2EL UK +44 (0) 1743 232200 +44 (0) 1743 353584 sds@morris-lubricants.co.uk 1.4. Emergency telephone number **Emergency telephone** +44(0)1743 232200 (08.45 - 17.00 GMT) **SECTION 2: Hazards identification** 2.1. Classification of the substance or mixture Classification (EC 1272/2008) Physical hazards Not Classified Health hazards Not Classified Environmental hazards Not Classified

Classification (67/548/EEC or Not classified 1999/45/EC)

2.2. Label elements

Hazard statements	NC Not Classified
Supplemental label information	EUH210 Safety data sheet available on request.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Distillates (petroleum) solve	nt-dewaxed heavy paraffinic	60-100%
CAS number: 64742-54-7	EC number: 265-157-1	REACH registration number: 01- 2119484627-25-XXXX
A petroleum product. DMSC	extract < 3 % weight(IP 346)	
Classification Not Classified	Classificatio -	n (67/548/EEC or 1999/45/EC)
Distillates, hydrotreated heav	/y paraffinic	10-30%
CAS number: 64742-54-7	EC number: 265-157-1	REACH registration number: 01- 2119484627-25-0014
Classification Asp. Tox. 1 - H304	Classificatio -	n (67/548/EEC or 1999/45/EC)
The Full Text for all R-Phrase	es and Hazard Statements are Displayed in Se	ction 16.
Composition comments	-	ume threshold for registration, the registration on is proprietary. This product contains less than
SECTION 4: First aid measu	res	
4.1. Description of first aid me	easures	
General information	Get medical attention if any discomfort conti	nues.
Inhalation		ollows. Move affected person to fresh air and able for breathing. Get medical attention if any
Ingestion	Get medical attention if any discomfort conti	nues. Do not induce vomiting.
Skin contact	Remove contaminated clothing immediately	and wash skin with soap and water.
Eye contact		nove contact lenses, if present and easy to do. ast 15 minutes. Get medical attention promptly if
4.2. Most important symptom	s and effects, both acute and delayed	
General information	If aspiration into the lungs is suspected, eg	when vomitting, admit to hospital immediately.
Inhalation	Upper respiratory irritation.	

Ingestion	The product contains mineral oil, which if aspirated into the lungs through vomitting after ingestion, may result in chemical pneumonia.	
Skin contact	Prolonged contact may cause redness, irritation and dry skin.	
Eye contact	Irritation of eyes and mucous membranes.	
4.3. Indication of any immedia	te medical attention and special treatment needed	
Notes for the doctor	Treat symptomatically.	
SECTION 5: Firefighting measurements	sures	
5.1. Extinguishing media		
Suitable extinguishing media	Extinguish with foam, carbon dioxide, dry powder or water fog.	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
5.2. Special hazards arising from	om the substance or mixture	
Specific hazards	Heat from fire could result in drums bursting	
Hazardous combustion products	Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3. Oxides of carbon. Oxides of nitrogen.	
5.3. Advice for firefighters		
Protective actions during firefighting	Control run-off water by containing and keeping it out of sewers and watercourses.	
Special protective equipment for firefighters	Wear self-contained breathing apparatus.	
SECTION 6: Accidental release	se measures	
6.1. Personal precautions, pro	tective equipment and emergency procedures	
Personal precautions	For personal protection, see Section 8. Take care as floors and other surfaces may become slippery. Keep unnecessary and unprotected personnel away from the spillage.	
6.2. Environmental precaution	<u>s</u>	
Environmental precautions	The product is insoluble in water and will spread on the water surface. Avoid the spillage or runoff entering drains, sewers or watercourses. Contain spillage with sand, earth or other suitable non-combustible material.	
6.3. Methods and material for	containment and cleaning up	
Methods for cleaning up	In case of spillage on water prevent the spread by use of suitable barrier equipment Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely. Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.	
6.4. Reference to other sections		
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.	
SECTION 7: Handling and storage		
7.1. Precautions for safe hand	ling	

moistened with oil into pockets.

7.2. Conditions for safe st	torage, including any incompatibilities
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place.
Storage class	Miscellaneous hazardous material storage.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure Co 8.1. Control parameters	ontrols/personal protection
Occupational exposure lin	nits
Distillates (petroleum) sol	vent-dewaxed heavy paraffinic
Long-term exposure limit	(8-hour TWA): ACGIH 5 mg/m³
Short-term exposure limit	(15-minute): ACGIH 10 mg/m ³
Distillates, hydrotreated he	eavy paraffinic
Long torm oxposure limit	

Long-term exposure limit (8-hour TWA): ACGIH 5 Short-term exposure limit (15-minute): ACGIH 10 mg/m³ ACGIH = American Conference of Governmental Industrial Hygienists.

Phosphorodithioic acid, mixed 0,0-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts (CAS: 84605-29-8)

DNEL	Industry - Dermal; Long term systemic effects: 12.1 mg/kg Industry - Inhalation; Long term systemic effects: 8.31 mg/m³ Consumer - Dermal; Long term systemic effects: 6.1 mg/kg Consumer - Inhalation; Long term systemic effects: 2.11 mg/m³ Consumer - Oral; Long term systemic effects: 0.24 mg/kg
PNEC	- Fresh water; 0.004 mg/l - Marine water; 0.0046 mg/l - Soil; 0.0548 mg/kg
	Phenol, dodecyl-,sulfurized, carbonates, calcium salts, overbased (CAS: 68784-26-9)
DNEL	Industry - Dermal; Short term systemic effects: 80 mg/kg/day Industry - Inhalation; Short term systemic effects: 167 mg/m ³ Industry - Dermal; Long term systemic effects: 20.8 mg/kg/day Industry - Inhalation; Long term systemic effects: 70.52 mg/m ³ Consumer - Dermal; Short term systemic effects: 40 mg/kg/day Consumer - Oral; Short term systemic effects: 50 mg/m ³ Consumer - Oral; Long term systemic effects: 5 mg/kg/day Consumer - Dermal; Long term systemic effects: 10.42 mg/kg/day Consumer - Inhalation; Long term systemic effects: 52.6 mg/m ³
PNEC	- Fresh water; 0.1 mg/l - Marine water; 0.01 mg/l - Sediment (Freshwater); 132000 mg/kg - Sediment (Freshwater); 13200 mg/kg - Soil; 263000 mg/kg
suro controle	

8.2. Exposure controls

Protective equipment

A
\cup

Appropriate engineering controls	Provide adequate general and local exhaust ventilation. Observe any occupational exposure limits for the product or ingredients.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.
Hand protection	The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material.
Other skin and body protection	Use of suitable barrier/afterwork creams to protect skin may be beneficial.
Hygiene measures	Use engineering controls to reduce air contamination to permissible exposure level. Wash promptly with soap and water if skin becomes contaminated.
Respiratory protection	No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.
Thermal hazards	Not anticipated under normal conditions of use. The product is combustible if heated excessively and an ignition source is applied.
Environmental exposure controls	Do not allow the product to contaminate land or water.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

<u></u>	
Appearance	Liquid.
Colour	Pale Amber
Odour	Characteristic. Oil-like.
Odour threshold	Not known.
рН	Not applicable.
Melting point	-39°C Pour point
Initial boiling point and range	>320°C @ 101.3 kPa
Flash point	208°C PMCC (Pensky-Martens closed cup).
Evaporation rate	Not relevant.
Upper/lower flammability or explosive limits	Not known.
Other flammability	Product is not flammable but on excessive heating may become combustible.
Vapour pressure	<0.1 kPa @ 20°C
Vapour density	Not determined.
Relative density	0.870 @ 15.6°C
Solubility(ies)	Insoluble in water. Soluble in the following materials: Organic solvents.

Partition coefficient	Not determined. log Kow:>7 Typical of mineral oil.	
Auto-ignition temperature	No specific test data are available.	
Decomposition Temperature	Not determined.	
Viscosity	89.4 cSt @ 40°C	
Explosive properties	Not considered to be explosive.	
Explosive under the influence of a flame	Not considered to be explosive.	
Oxidising properties	The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising.	
9.2. Other information		
Volatile organic compound	The product is a complex mixture, the majority of which would not be classed as a VOC. However it cannot be discounted that trace or low levels of VOC's may be present.	
SECTION 10: Stability and rea	ctivity	
10.1. Reactivity		
Reactivity	There are no known reactivity hazards associated with this product.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures and when used as recommended.	
10.3. Possibility of hazardous reactions		
Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid heat, flames and other sources of ignition.	
10.5. Incompatible materials		
Materials to avoid	Strong oxidising agents.	
10.6. Hazardous decompositio	n products	
Hazardous decomposition products	Oxides of carbon. Oxides of nitrogen.	
SECTION 11: Toxicological int	ormation	
11.1. Information on toxicologi	cal effects	
<u>Acute toxicity - oral</u> Notes (oral LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - dermal Notes (dermal LD∞)	Based on available data the classification criteria are not met.	
Acute toxicity - inhalation Notes (inhalation LC₅₀)	The product is unlikely to present any significant inhalation hazard at ambient temperatures and under normal conditions of use.	
Serious eye damage/irritation Serious eye damage/irritation	May cause mild, short lasting discomfort to eyes.	
Respiratory sensitisation		

Respiratory sensitisation	Repeated exposure to oil mists may cause respiratory damage. There is no evidence that the product can cause respiratory hypersensitivity.	
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.	
Carcinogenicity Carcinogenicity	This product contains mineral oils which are considered to be severely refined and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP346 test	
Reproductive toxicity Reproductive toxicity - fertility Specific target organ toxicity -		
STOT - single exposure	Based on available data the classification criteria are not met.	
Specific target organ toxicity - repeated exposure		
STOT - repeated exposure	Based on available data the classification criteria are not met.	
Aspiration hazard Aspiration hazard	No data available to suggest the product will cause reproductive toxicity.	
General information	This product has low toxicity. Only large quantities are likely to have adverse effects on human health.	
Inhalation	Unlikely to be hazardous by inhalation because of the low vapour pressure of the product at ambient temperature.	
Ingestion	No harmful effects expected from quantities likely to be ingested by accident.	
Skin contact	Skin irritation should not occur when used as recommended. Repeated exposure may cause skin dryness or cracking.	
Eye contact	May cause temporary eye irritation.	
Acute and chronic health hazards	Prolonged or repeated contact with used oil may cause serious skin diseases, such as dermatitis and skin cancer.	

SECTION 12: Ecological Inform	nation
Ecotoxicity	Based on available data the classification criteria are not met. Not regarded as dangerous for the environment.
12.1. Toxicity	
Toxicity	Based on available data the classification criteria are not met. Not considered toxic to fish.
Acute toxicity - aquatic invertebrates	Based on available data the classification criteria are not met.
12.2. Persistence and degrada	bility
Persistence and degradability	The product contains mineral oil which has limited biodegradability in CEC test methods but will biodegrade slowly in aerobic water and sediments and is considered ultimately biodegradable.
Stability (hydrolysis)	The product is based on highly refined mineral oils that are considered stable to hydrolysis.
Biodegradation	The product is not considered readily biodegradeable, albeit the major constituents are expected to ultimately biodegrade.
Biological oxygen demand	Not determined.
Chemical oxygen demand	Not determined.
12.3. Bioaccumulative potentia	<u>l</u>
Bioaccumulative potential	Bioaccumulation is unlikely to be significant because of the low water-solubility of this product.
Partition coefficient	Not determined. log Kow:>7 Typical of mineral oil.
12.4. Mobility in soil	
Mobility	The product is non-volatile. The product is insoluble in water and will spread on the water surface.
Henry's law constant	Not determined.
12.5. Results of PBT and vPvB	assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
Other adverse effects	None known.
SECTION 13: Disposal conside	erations
13.1. Waste treatment methods	<u>8</u>
General information	This material and its container must be disposed of as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
Disposal methods	Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Dispose of waste via a licensed waste disposal contractor.
Waste class	European waste catalogue (EWC) number = 13 02 08* (other engine, gear and lubricating oil)
SECTION 14: Transport inform	ation

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Health and Safety at Work etc. Act 1974 (as amended).
	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
	Control of Substances Hazardous to Health Regulations 2002 (as amended).
	The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment
	Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].
EU legislation	Dangerous Preparations Directive 1999/45/EC.
-	Dangerous Substances Directive 67/548/EEC.
	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18
	December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16
	December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
Guidance	Workplace Exposure Limits EH40.
	Safety Data Sheets for Substances and Preparations.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

Australia - AICS

All the ingredients are listed or exempt.

Korea - KECI All the ingredients are listed or exempt.

China - IECSC

All the ingredients are listed or exempt.

Philippines – PICCS

All the ingredients are listed or exempt.

New Zealand - NZIOC

All the ingredients are listed or exempt.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. CAS: Chemical Abstracts Service. DNEL: Derived No Effect Level. GHS: Globally Harmonized System. IATA: International Air Transport Association. IMDG: International Maritime Dangerous Goods. REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006. vPvB: Very Persistent and Very Bioaccumulative.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Issued by	Regulatory Affairs
Revision date	22/01/2019
Revision	2
Supersedes date	11/11/2015
SDS number	21580
Hazard statements in full	H304 May be fatal if swallowed and enters airways.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.