

CLAYTON

PLANT PROTECTION

CLAYTON ORLEANS

SAFETY DATA SHEET

1. IDENTIFICATION OF SUBSTANCE AND COMPANY

Clayton Orleans MAPP 14452
For use only as an agricultural/horticultural/forestry herbicide.

Clayton Plant Protection (UK) Ltd.
Unit F10, Bracetown Business Park, Clonee, Co. Meath, Ireland.
Tel: (00 353) 1 8210127 Fax: (00 353) 818 411084

2. COMPOSITION AND INFORMATION ON INGREDIENTS

Propaquizafop	9.7 % w/w	CA 111479-05-1	N, Xi	R 43, 50/53
N-Methyl-2-pyrrolidone	5-10 % w/w	CA 872-50-4	T, Xi	R 36/37, 38, 61
Poly(oxy-1,2-ethanediyl),alpha-isotridecyl-omega-hydroxy-	30-40 % w/w	CA 9043-30-5	Xn	R 22, 36
Solvent naphtha, heavy aromatic	35-42 % w/w	CA 64742-94-5	Xn	R 65, 66, 51/53

3. HAZARDS IDENTIFICATION

Human May cause harm to the unborn child
Harmful: may cause lung damage if swallowed
Skin: Irritant
Eyes: Irritant

Environmental: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

4. FIRST AID MEASURES

Skin: remove contaminated clothing; rinse exposed skin and hair immediately with water, then with soap and water. If the patient feels unwell, seek medical advice.

Eyes: flush immediately with plenty of water for 15 minutes. Seek medical attention.

Inhalation: remove patient to fresh air. Seek medical attention if symptoms arise.

Ingestion: do not induce vomiting, rinse mouth with water; seek immediate medical attention and show the container label or this datasheet.

Guide to Doctor: there are no specific antidotes; treat symptomatically.

5. FIRE FIGHTING MEASURES

Wear full protective clothing, goggles and respirator. Call fire brigade for all but small, immediately controllable fires. Product and packaging will burn and toxic fumes may be evolved on heating. Avoid breathing smoke. Keep containers cool by spraying with water. Remove intact containers if without risk. Extinguish source of fire, preferably with dry inert powder, foam, carbon dioxide or water fog. Do not use a water jet. Contain fire-fighting water, bunding as necessary with sand or earth.

6. ACCIDENTAL RELEASE MEASURES

Wear coverall, face protection, rubber boots and suitable protective gloves. Keep people and animals away. Contain spillage, particularly to prevent contamination of water. Inform local water plc immediately if spillage enters drains. Inform the Environment Agency or Scottish Environment Protection Agency if spillage enters surface or ground waters. Absorb into sand, sawdust or other inert material. Collect all contaminated material and place in covered, labelled containers for disposal. Do not flush with water.

7. HANDLING AND STORAGE

Keep in original container, tightly closed, in a safe place. Keep away from food, drink and animal feeding stuffs. Keep out of reach of children. Store in a cool, dry place out of direct sunlight. Protect from extremes of temperature.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Wear suitable protective gloves and face protection (faceshield) when handling the concentrate.

Wash concentrate from skin or eyes immediately.

Do not breathe spray.

When using, do not eat, drink or smoke.

Wash hands and exposed skin before meals and after work.

Occupational exposure standards for N-methyl-2-pyrrolidone:

long-term exposure limit (8-hour TWA ref. period) = 25 ppm or 103 mg m⁻³

short-term exposure limit (15-minute ref. period) = 75 ppm or 309 mg m⁻³

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: yellowish liquid
Odour: of solvents
Flash point: 101°C
Flammability: not flammable
Oxidising properties: none
pH (5% v/v in water): 5 – 8
Density: 1.025 g cm⁻³ at 20°C
Water solubility: product is miscible with water in all proportions

10. STABILITY AND REACTIVITY

Stable in packaging and in air. Keep in original packaging.

11. TOXICOLOGICAL INFORMATION

Acute oral LD₅₀ for rat: 2863 mg/kg.
Acute dermal LD₅₀ for rat: >2000 mg/kg.
Inhalation LC₅₀ (4-hour) for rat: >3.49 mg per litre of air.
Skin irritation (rabbit): irritant
Eye irritation (rabbit): irritant
Skin sensitisation (guinea-pig): negative
May cause harm to the unborn child

12. ECOLOGICAL INFORMATION

LC₅₀ (96-hour) rainbow trout = 3.2 mg/litre
EC₅₀ (48-hour) Daphnia: >2.4 mg/litre
EC₅₀ (72-hour) algae: = >2.7 mg/litre
Honeybees: contact LD₅₀ > 177 µg per bee
oral LD₅₀ > 188 µg per bee

13. DISPOSAL CONSIDERATIONS

Product: dispose of via an authorised disposal contractor.
Containers: dispose of via an authorised disposal contractor.
Consult also 'Pesticides: Code of Practice for the Safe Use of Pesticides on Farms and Holdings' (DEFRA/HSE).

14. ROAD AND RAIL TRANSPORT

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains propaquizafop, solvent naphtha heavy aromatic and *N*-Methyl-2-pyrrolidone). UN 3082; Class 9; Packing group III

15. REGULATORY INFORMATION



T TOXIC

Contains 100 g/l propaquizafop and *N*-Methyl-2-pyrrolidone

R36/38 Irritating to eyes and skin
R61 May cause harm to the unborn child
R65 Harmful: may cause lung damage if swallowed



N DANGEROUS FOR
THE ENVIRONMENT

R51/R53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

S2 Keep out of the reach of children.
S13 Keep away from food, drink and animal feedingstuffs.
S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice
S28 After contact with skin, wash immediately with plenty of water.
S35 This material and its container must be disposed of in a safe way.
S36/37 Wear suitable protective clothing and gloves.
S39 Wear eye/face protection.
S62 If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

The Control of Substances Hazardous to Health (COSHH) Regulations may apply to the use of the product at work.

The product is approved under the Control of Pesticides Regulations 1986

16. OTHER INFORMATION

Issued: March 2009 revised November 2010 by re-classification of NMP.