

Safety data sheet

Page: 1/18

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 09.05.2017 Version: 5.0 Product: CRYSTAL®

(ID no. 30450362/SDS_CPA_GB/EN)

Date of print 05.09.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

CRYSTAL®

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, herbicide

1.3. Details of the supplier of the safety data sheet

Company: BASF plc PO Box 4, Earl Road, Cheadle Hulme, Cheadle, Cheshire SK8 6QG, UNITED KINGDOM Operating Division Crop Protection

Telephone: +49 621 60-27777 E-mail address: Produktinformation-Pflanzenschutz@basf.com

1.4. Emergency telephone number

Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

Asp. Tox. 1 Acute Tox. 4 (oral) Skin Corr./Irrit. 2

Page: 2/18

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 09.05.2017 Version: 5.0 Product: CRYSTAL®

(ID no. 30450362/SDS_CPA_GB/EN)

Date of print 05.09.2017

Aquatic Acute 1 Aquatic Chronic 1

H315, H302, H304, H400, H410, EUH401

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

Globally Harmonized System (GHS) in accordance with UK regulations.

Pictogram:



Signal Word: Danger

Hazard Stateme	nt:
H315	Causes skin irritation.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.
Precautionary S	tatement:
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
Precautionary S	tatements (Prevention):
P26/	Wash contaminated body parts thoroughly after handling

P264	wash contaminated body parts thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves.

Precautionary Statements (Response):

Page: 3/18

(ID no. 30450362/SDS_CPA_GB/EN)

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 09.05.2017 Version: 5.0 Product: CRYSTAL®

Date of print 05.09.2017		
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.		
IF ON SKIN (or hair): Wash with plenty of soap and water.		
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
Rinse mouth.		
Collect spillage.		
If skin irritation occurs: Get medical advice/attention.		
Do NOT induce vomiting.		
Take off contaminated clothing and wash it before reuse.		
Precautionary Statements (Storage):		
Store locked up.		
Precautionary Statements (Disposal):		
Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.		

Labeling of special preparations (GHS): EUH208: May produce an allergic reaction. Contains: PENDIMETHALIN, FLUFENACET

According to Regulation (EC) No 1272/2008 [CLP]

Hazard determining component(s) for labelling: PENDIMETHALIN, FLUFENACET, SOLVENT NAPHTHA

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

crop protection product, herbicide, Emulsifiable concentrate (EC)

Page: 4/18

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 09.05.2017 Version: 5.0 Product: CRYSTAL®

(ID no. 30450362/SDS_CPA_GB/EN)

Date of print 05.09.2017

Hazardous ingredients (GHS) according to Regulation (EC) No. 1272/2008

pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine Content (W/W): 28.2 % Skin Sens. 1 CAS Number: 40487-42-1 Aquatic Acute 1 EC-Number: 254-938-2 Aquatic Chronic 1 INDEX-Number: 609-042-00-X H317, H400, H410

> Differing classification according to current knowledge and the criteria given in Annex I of Regulation (EC) No. 1272/2008 Skin Sens. 1B Aquatic Acute 1 Aquatic Chronic 1

flufenacet (ISO); N-(4-fluorophenyl)-N-isopropyl-2-(5-trifluoromethyl-[1,3,4]thiadiazol-2-yloxy)acetamide

Content (W/W): 5.6 % CAS Number: 142459-58-3 INDEX-Number: 613-164-00-9 Acute Tox. 4 (oral) Skin Sens. 1 STOT RE (Central nervous system) 2 Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 100 M-factor chronic: 100 H302, H317, H373, H400, H410

solvent naphtha

Content (W/W): < 70 % CAS Number: 64742-94-5 REACH registration number: 01-2119451097-39 Asp. Tox. 1 Aquatic Chronic 2 H304, H411, EUH066

Tridecyl alcohol ethoxylate

Content (Ŵ/W): < 5 % CAS Number: 24938-91-8 Acute Tox. 4 (oral) Eye Dam./Irrit. 1 Aquatic Chronic 3 H318, H302, H412

Mixture of branched dodecylbenzene sulphonate, calcium salt and isobutyl alcohol

Page: 5/18

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 09.05.2017 Version: 5.0 Product: CRYSTAL®

(ID no. 30450362/SDS_CPA_GB/EN)

Date of print 05.09.2017

	Date of print 05.09.2
Content (W/W): < 5 %	Flam. Liq. 3
	Acute Tox. 4 (dermal)
	Skin Corr./Irrit. 2
	Eye Dam./Irrit. 1
	STOT SE 3 (drowsiness and dizziness)
	STOT SE 3 (irr. to respiratory syst.)
	Aquatic Chronic 2
	H226, H318, H315, H312, H336, H335, H411
I	
2-methylpropan-1-ol; iso-butanol	
Content (W/W): < 3 %	Flam. Liq. 3
CAS Number: 78-83-1	Skin Corr./Irrit. 2
EC-Number: 201-148-0	Eye Dam./Irrit. 1
REACH registration number: 01-	STOT SE 3 (drowsiness and dizziness)
2119484609-23	STOT SE 3 (irr. to respiratory syst.)

H226, H318, H315, H336, H335

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

Show container, label and/or safety data sheet to physician.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Page: 6/18

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 09.05.2017 Version: 5.0 Product: CRYSTAL®

(ID no. 30450362/SDS_CPA_GB/EN)

Date of print 05.09.2017

4.3. Indication of any immediate medical attention and special treatment needed Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media: carbon dioxide, foam, dry powder, water spray

5.2. Special hazards arising from the substance or mixture

carbon monoxide, Hydrogen fluoride, Carbon dioxide, nitrogen oxides, sulfur oxides The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

6.2. Environmental precautions

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Do not allow contamination of public drains or surface or ground waters. Inform local water plc if spillage enters drains and the Environment Agency (England & Wales), the Scottish Environmental Protection Agency (Scotland), or the Environment and Heritage Service (Northern Ireland) if it enters surface or ground waters. Keep people and animals away.

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

Page: 7/18

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 09.05.2017 Version: 5.0 Product: CRYSTAL®

(ID no. 30450362/SDS_CPA_GB/EN)

Date of print 05.09.2017

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds. Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

78-83-1: 2-methylpropan-1-ol; iso-butanol TWA value 154 mg/m3 ; 50 ppm (WEL/EH 40 (UK)) STEL value 231 mg/m3 ; 75 ppm (WEL/EH 40 (UK))

Refer to the current edition of HSE Guidance Note EH40 Occupational Exposure Limits (United Kingdom). For normal use and handling refer to the product label/leaflet.

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Page: 8/18

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 09.05.2017 Version: 5.0 Product: CRYSTAL®

(ID no. 30450362/SDS_CPA_GB/EN)

Date of print 05.09.2017

Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection: Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

<u>Environmental exposure controls</u> For information regarding environmental exposure controls, see Section 6.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form: Colour:	liquid amber	
Odour:	aromatic	
Odour threshold:		
pH value:	Not determined due to potential health hazard by inhalation. approx. $4 - 6$	(pH Meter)
	(CIPAC standard water D, 1 %(m), 20 °C)	
solidification temperature	,	
	Information applies to the solvent.	
Boiling point:	approx. 111 °C	
	Information applies to the solvent.	
Flash point:	63.5 °C	(DIN EN ISO 13736)
Evaporation rate:		
Flammability:	not applicable not highly flammable	(Directive 92/69/EEC, A.12)

Page: 9/18

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 09.05.2017 Version: 5.0 Product: CRYSTAL®

		(ID no. 30450362/SDS_CPA_GB/EN)
		Date of print 05.09.2017
Lower explosion limit:		
	As a result of our experience with this	
	product and our knowledge of its	
	composition we do not expect any	
	hazard as long as the product is used	
	appropriately and in accordance with	
	the intended use.	
Upper explosion limit:		
	As a result of our experience with this	i
	product and our knowledge of its	
	composition we do not expect any	
	hazard as long as the product is used	
	appropriately and in accordance with the intended use.	
Ignition to monoroturo	377 °C	(Directive 94/440/EEC + 45)
Ignition temperature: Vapour pressure:		(Directive 84/449/EEC, A.15)
vapour pressure.	approx. 0.003 kPa (20 °C)	
	Information applies to the solvent.	
Density:	approx. 1.06 g/cm3	(OECD Guideline 109)
	(20 °C)	
Relative vapour density (
	not applicable	
Solubility in water:	emulsifiable	
Partitioning coefficient n-		
	not applicable	ad as prescribed/indicated
•	No decomposition if stored and handl	
Viscosity, dynamic:	11.7 mPa.s	(calculated (from kinemetic
Viscosity, kinematic:	(25 °C) 7 mm2/s	viscosity))
viscosity, kinematic.	(40 °C)	
Explosion hazard:	not explosive	(Directive 92/69/EEC, A.14)
Fire promoting properties		(Directive 2004/73/EC, A.21)
i no promoting properties	. Not no propagating	

9.2. Other information

Other Information:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Page: 10/18

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 09.05.2017 Version: 5.0 Product: CRYSTAL®

> (ID no. 30450362/SDS_CPA_GB/EN) Date of print 05.09.2017

10.4. Conditions to avoid

See MSDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid: strong bases, strong oxidizing agents, strong acids

10.6. Hazardous decomposition products

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data: LD50 rat (oral): 1,340 mg/kg (OECD Guideline 401)

LC50 rat (by inhalation): > 5.08 mg/l 4 h (OECD Guideline 403) An aerosol was tested.

LD50 rat (dermal): > 4,000 mg/kg (OECD Guideline 402) No mortality was observed.

Irritation

Assessment of irritating effects: The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Skin contact causes irritation. Not irritating to the eyes.

Experimental/calculated data: Skin corrosion/irritation rabbit: Irritant. (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

Page: 11/18

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 09.05.2017 Version: 5.0 Product: CRYSTAL®

(ID no. 30450362/SDS_CPA_GB/EN)

Date of print 05.09.2017

Assessment of sensitization:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

modified Buehler test guinea pig: Skin sensitizing effects were not observed in animal studies. (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine Assessment of carcinogenicity:

In long-term studies in rats the substance induced thyroid tumors. The effect is caused by an animal specific mechanism that has no human counter part. In long-term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed.

Information on: Solvent naphtha (petroleum), heavy arom.; Kerosine -- unspecified Assessment of carcinogenicity:

Long-term exposure to highly irritating concentrations resulted in skin tumors in animals. A carcinogenic effect in humans can be excluded after brief skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure)

Page: 12/18

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 09.05.2017 Version: 5.0 Product: CRYSTAL®

(ID no. 30450362/SDS_CPA_GB/EN)

Date of print 05.09.2017

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine Assessment of repeated dose toxicity: No substance-specific organtoxicity was observed after repeated administration to animals. Adaptive effects were observed after repeated exposure in animal studies.

Information on: flufenacet (ISO); N-(4-fluorophenyl)-N-isopropyl-2-(5-trifluoromethyl-[1,3,4]thiadiazol-2-yloxy)acetamide Assessment of repeated dose toxicity: Repeated oral exposure may affect certain organs.

Aspiration hazard

May also damage the lung at swallowing (aspiration hazard).

Other relevant toxicity information

Misuse can be harmful to health.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity: Very toxic to aquatic life with long lasting effects. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Toxicity to fish: LC50 (96 h) 0.63 mg/l, Oncorhynchus mykiss (OECD 203; ISO 7346; 92/69/EEC, C.1, Flow through.)

Aquatic invertebrates: EC50 (48 h) 5.3 mg/l, Daphnia magna (Directive 92/69/EEC, C.2, static)

Page: 13/18

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 09.05.2017 Version: 5.0 Product: CRYSTAL®

(ID no. 30450362/SDS_CPA_GB/EN)

Date of print 05.09.2017

Aquatic plants: EC50 (72 h) 0.017 mg/l (biomass), Selenastrum capricornutum (OECD Guideline 201)

No observed effect concentration (7 d) 0.003 mg/l, Lemna gibba (OECD guideline 221, static)

EC50 (7 d) 0.186 mg/l, Lemna gibba (OECD guideline 221, static)

Chronic toxicity to aquatic invertebrates: No observed effect concentration (21 d) 0.13 mg/l, Daphnia magna (Flow through.)

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O): The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria).

Information on: flufenacet (ISO); N-(4-fluorophenyl)-N-isopropyl-2-(5-trifluoromethyl-[1,3,4]thiadiazol-2-yloxy)acetamide Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria).

12.3. Bioaccumulative potential

Assessment bioaccumulation potential: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine Bioaccumulation potential: Bioconcentration factor: 5,100 Based on a weight of evidence, the compound will not bioaccumulate.

Information on: flufenacet (ISO); N-(4-fluorophenyl)-N-isopropyl-2-(5-trifluoromethyl-[1,3,4]thiadiazol-2-yloxy)acetamide Bioaccumulation potential: Bioconcentration factor: 71 Does not accumulate in organisms.

12.4. Mobility in soil

Assessment transport between environmental compartments: Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine

Page: 14/18

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 09.05.2017 Version: 5.0 Product: CRYSTAL®

(ID no. 30450362/SDS_CPA_GB/EN)

Date of print 05.09.2017

Assessment transport between environmental compartments: Volatility: The substance will slowly evaporate into the atmosphere from the water surface. Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: flufenacet (ISO); N-(4-fluorophenyl)-N-isopropyl-2-(5-trifluoromethyl-[1,3,4]thiadiazol-2-yloxy)acetamide

Assessment transport between environmental compartments: Adsorption in soil: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

12.7. Additional information

Other ecotoxicological advice: Do not discharge product into the environment without control.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

Contaminated packaging: Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

SECTION 14: Transport Information

Land transport

ADR

Page: 15/18

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 09.05.2017 Version: 5.0 Product: CRYSTAL®

(ID no. 30450362/SDS_CPA_GB/EN)

UN number UN proper shipping name:	Date of print 05.09.2017 UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user:	N.O.S. (contains PENDIMETHALIN, SOLVENT NAPHTHA) 9, EHSM III yes
RID	
UN number UN proper shipping name: Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user:	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PENDIMETHALIN, SOLVENT NAPHTHA) 9, EHSM III yes None known
<u>Inland waterway transport</u> ADN	
UN number UN proper shipping name:	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user:	N.O.S. (contains PENDIMETHALIN, SOLVENT NAPHTHA) 9, EHSM III yes None known
<u>Transport in inland waterway</u> Not evaluated	<u>/ vessel</u>
Sea transport	
IMDG	

UN number: UN 3082 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PENDIMETHALIN, SOLVENT NAPHTHA) Transport hazard class(es): 9, EHSM Packing group: III Environmental hazards: yes Marine pollutant: YES Special precautions for None known user:

Page: 16/18

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 09.05.2017 Version: 5.0 Product: CRYSTAL®

(ID no. 30450362/SDS_CPA_GB/EN)

Date of print 05.09.2017

Air transport

IATA/ICAO

UN number:	UN 3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S. (contains PENDIMETHALIN, SOLVENT NAPHTHA)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for	None known
user:	

14.1. UN number

See corresponding entries for "UN number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

Further information

This product is subject to the most recent edition of "The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations" and their amendments (United Kingdom).

Page: 17/18

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 09.05.2017 Version: 5.0 Product: CRYSTAL®

(ID no. 30450362/SDS_CPA_GB/EN)

Date of print 05.09.2017

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3 Restrictions of Regulation (EC) No 1907/2006, Annex XVII, do not apply for the intended use(s) of the product given in this MSDS.

This product is classified under the European CLP Regulation. (United Kingdom) The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

This product may be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments if specific threshold tonnages are exceeded (United Kingdom).

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

SECTION 16: Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

Asp. Tox.	Aspiration hazard
Acute Tox.	Acute toxicity
Skin Corr./Irrit.	Skin corrosion/irritation
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Skin Sens.	Skin sensitization
STOT RE	Specific target organ toxicity — repeated exposure
Eye Dam./Irrit.	Serious eye damage/eye irritation
Flam. Liq.	Flammable liquids
STOT SE	Specific target organ toxicity — single exposure
H315	Causes skin irritation.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the

Page: 18/18

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 09.05.2017 Version: 5.0 Product: CRYSTAL®

(ID no. 30450362/SDS_CPA_GB/EN)

Date of print 05.09.2017

instructions for use.
May cause an allergic skin reaction.
May cause damage to organs (peripheral nervous system) through prolonged or repeated exposure.
Toxic to aquatic life with long lasting effects.
Repeated exposure may cause skin dryness or cracking.
Causes serious eye damage.
Harmful to aquatic life with long lasting effects.
Flammable liquid and vapour.
Harmful in contact with skin.
May cause drowsiness or dizziness.
May cause respiratory irritation.

If you have any queries relating to this MSDS, it's contents or any other product safety related questions, please write to the following e-mail address: Produktinformation-Pflanzenschutz@basf.com

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.