

HEADLAND SULPHUR

Page: 1

Compilation date: 13/10/2011

Revision date: 30/09/2014

Revision No: 4

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: HEADLAND SULPHUR

Product code: NP-0049

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: * A micronutrient suspension concentrate, for use in agriculture.

1.3. Details of the supplier of the safety data sheet

Company name: Headland Agrochemicals

Rectors Lane

Pentre

Flintshire

CH5 2DH

United Kingdom

Tel: +44(0)1244 537370

Fax: +44(0)1244 532097

Email: enquiry@headlandgroup.com

1.4. Emergency telephone number

Emergency tel: +44(0)1244 537370

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CHIP: Xi: R36/38

Classification under CLP: * Eye Irrit. 2: H319; Skin Irrit. 2: H315; -: EUH208

Most important adverse effects: Irritating to eyes and skin.

2.2. Label elements

Label elements under CLP:	
Hazard statements:	* H315: Causes skin irritation.
	H319: Causes serious eye irritation.
	EUH208: Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction.
Signal words:	Warning
Hazard pictograms:	GHS07: Exclamation mark



HEADLAND SULPHUR

Precautionary statements: P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.
P302+352: IF ON SKIN: Wash with plenty of soap and water.
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+313: If skin irritation occurs: Get medical advice/attention.
P337+313: If eye irritation persists: Get medical advice/attention.

Label elements under CHIP:

Hazard symbols: Irritant.



Risk phrases: R36/38: Irritating to eyes and skin.
Safety phrases: S36/37/39: Wear suitable protective clothing, gloves and eye / face protection.
S46: If swallowed, seek medical advice immediately and show this container or label.

2.3. Other hazards

PBT: This product is not identified as a PBT substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

SULFUR - REACH registered number(s): 01-2119487295-27-XXXX

	/ Off registered i					
EINECS	CAS	CHIP Classification CLP Classification		Percent		
231-722-6	7704-34-9	Xi: R38 Skin Irrit. 2: H315				
ETHANE-1,2-DIOL - REACH registered number(s): 01-2119456816-28-XXXX						
203-473-3 107-21-1 Xn: R22 Acute Tox. 4: H302						
XANTHAN GUM						
234-394-2	11138-66-2	Substance with a Community	-	1-5%		

METHYL NAPHTHALENE SULFONIC ACID, POLYMER WITH FORMALDEHYDE, SODIUM SALT

workplace exposure limit.

1-5%

Section 4: First aid measures

_

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. Consult a doctor if irritation develops.

Eye Dam. 1: H318

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor if irritation persists or problems with vision occur.

HEADLAND SULPHUR

Ingestion: * Do not induce vomiting. Wash out mouth with water. Give 1 cup of water to drink every 10 minutes. Get medical advice if any symptoms develop.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes of sulphur oxides.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Refer to section 13 of SDS for suitable method of disposal.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

HEADLAND SULPHUR

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: * Protect from frost. Store above 5°C. Store in cool, well ventilated area. Keep away from direct sunlight. Do not store near direct sources of heat. Keep out of reach of children. Keep away from food, drink and animal feedstuffs.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

ETHANE-1,2-DIOL

Workplace e	exposure limits:			
State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	52 mg/m3 (vapour)	104 mg/m3 (vapour)	-	-

XANTHAN GUM

UK	4 mg/m3	-
----	---------	---

8.1. DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area.Respiratory protection:Respiratory protection not required.Hand protection:Protective gloves. PVC gloves. PVA gloves. Butyl gloves. Nitrile gloves. Rubber gloves.Eye protection:Safety glasses. Ensure eye bath is to hand.Skin protection:Protective clothing. Coveralls must be discarded after use if contaminated.Environmental:Refer to specific Member State legislation for requirements under Community environmental legislation.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Yellow

Odour: Barely perceptible odour

Oxidising: Non-oxidising (by EC criteria)

HEADLAND SULPHUR

Solubility in water: Dispersible in water

Relative density: 1.41 - 1.45

pH: 7.0 - 9.0

Page: 5

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values:

Route	Species	Test	Value	Units
ORAL	RAT	LD50	>3000 (calculated)	mg/kg

Hazardous ingredients:

SULFUR

ORAL RAT LD50	>2000 mg/kg
---------------	-------------

ETHANE-1,2-DIOL

IVN	RAT	LD50	3260	mg/kg
ORL	MUS	LD50	5500	mg/kg
ORL	RAT	LD50	4700	mg/kg

HEADLAND SULPHUR

Page: 6

XANTHAN GUM					
ORAL	RAT	LD50		45000	mg/kg
					_
METHYL NAPHTHALENE S	ULFONIC		ORMALDEH	YDE, SODIUM SAI	
ORAL	RAT	LD50		4786	mg/kg
Relevant effects for mixture	e:				
Effect		Route		Basis	
Irritation	OPT DRM Hazardous: calculated				
Symptoms / routes of exposu	ire				
Skin contact:	There ma	y be irritation and redness	at the site of	contact.	
		y be irritation and redness.			
-		y be soreness and redness	•		ea and stomach
	pain may	occur.			
Inhalation:	There ma	y be irritation of the throat	with a feeling	of tightness in the	chest.
Delayed / immediate effects:	Immediate	e effects can be expected a	after short-te	rm exposure.	
Section 12: Ecological inform	nation				
12.1. Toxicity					
Ecotoxicity values:	No data a	vailable.			
12.2. Persistence and degrad	ability				
Persistence and degradability:	No data a	vailable.			
12.3. Bioaccumulative potent	ial				
Bioaccumulative potential:	No data a	vailable.			
12.4. Mobility in soil					
Mobility:	No data a	vailable.			
12.5. Results of PBT and vPv	B assessn	nent			
PBT identification:	This prod	uct is not identified as a PB	3T substance		
12.6. Other adverse effects					
Other adverse effects:	Negligible	ecotoxicity.			
Section 13: Disposal conside	erations				
13.1. Waste treatment metho	ds				
Disposal operations:	Transfer t	o a suitable container and	arrange for c	ollection by special	ised disposal

company. Alternatively, the product can be incinerated, in accordance with local regulations. The diluted product and washings should be sent to a water treatment

facility.

HEADLAND SULPHUR

Waste code number: 02 01 08

Disposal of packaging: Clean with water. Dispose of as normal industrial waste. Treat the cleaning water following the above method for waste product.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: N/A

14.2. UN proper shipping name

Shipping name: NOT CLASSIFIED AS DANGEROUS IN THE MEANING OF TRANSPORT REGULATIONS.

14.3. Transport hazard class(es)

Transport class: N/A

14.4. Packing group

Packing group: N/A

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk: The product is not transported in bulk tankers.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

 Other information:
 This safety data sheet is prepared in accordance with Commission Regulation (EU) No

 453/2010.
 * indicates text in the SDS which has changed since the last revision.

 Phrases used in s.2 and 3:
 EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

 H302: Harmful if swallowed.
 H315: Causes skin irritation.

Page: 7

HEADLAND SULPHUR

Page: 8

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

R22: Harmful if swallowed.

R36/38: Irritating to eyes and skin.

R38: Irritating to skin.

R41: Risk of serious damage to eyes.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.