



SAFETY DATA SHEET

YaraVita MANTRAC PRO

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : YaraVita MANTRAC PRO
Product code : PYP75M
Product type : liquid

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses
Industrial distribution. Industrial USE to formulate fertilisers product mixtures. Professional formulation of fertiliser products. Professional USE as fertiliser at Farm - loading and spreading (includes soil conditioning). Professional USE as fertiliser in Greenhouse (e.g. Fertigation, includes pH control of fertiliser solution with acid). Professional USE as liquid fertiliser in open field (e.g. Fertigation). Professional USE as fertiliser - maintenance of equipment.

Uses advised against : None identified.

1.3 Details of the supplier of the safety data sheet

Yara UK Limited

Address

Street : Harvest House, Europarc
Postal code : DN37 9TZ
City : Grimsby, North East Lincolnshire
Country : United Kingdom
Telephone number : +44 (0) 1472 889250
Fax no. : +44 (0) 1472 889251
e-mail address of person responsible for this SDS : yara.uk.hesq@yara.com

1.4 Emergency telephone number

National advisory body/Poison Center : Not available.

Supplier

Telephone number : National Chemical Emergency Centre
+44 (0) 1865 407333
Hours of operation : 24h

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification : Not classified.

Classification according to Directive 1999/45/EC [DPD]

Classification : Not classified.

See Section 16 for the full text of the R phrases or H statements declared above.
See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Signal word : No signal word.

Precautionary statements

Prevention : Not applicable.
Response : Not applicable.
Storage : Not applicable.
Disposal : Not applicable.
Supplemental label elements : Safety Data Sheet available for professional user on request.

EU Regulation (EC) No. 1907/2006 (REACH) Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Not applicable.

Special packaging requirements

Containers to be fitted with child-resistant fastenings : Not applicable.
Tactile warning of danger : Not applicable.

2.3 Other hazards

Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII : Not applicable.
Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII : Not applicable.
Other hazards which do not result in classification : None.

SECTION 3: Composition/information on ingredients

Substance/mixture : Mixture

Product / ingredient name	Identifiers	%	Classification		Type
			67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	
manganese carbonate	RRN: 01-2119442695-32 EC: 209-942-9 CAS : 598-62-9	>=50 - <65	Not classified.	Not classified.	[2]
glycerol	RRN: Not available. EC: 200-289-5 CAS : 56-81-5	>=2 - <3		Not classified.	[2]
2-PROPENOIC ACID, HOMOPOLYMER, SODIUM SALT	RRN: Not available. EC: 618-349-8 CAS : 9003-04-7	>=2 - <3	Xi; R36	Eye Dam./Irrit. 2 H319	[1]

Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

See Section 16 for the full text of the R phrases or H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures**4.1 Description of first aid measures**

- Eye contact** : Rinse with plenty of running water. Check for and remove any contact lenses. Get medical attention if irritation occurs.
- Inhalation** : If inhaled, remove to fresh air. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Skin contact** : Wash with soap and water. Get medical attention if symptoms occur.
- Ingestion** : Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water

to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact : No known significant effects or critical hazards.

Inhalation : Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.

Skin contact : No known significant effects or critical hazards.

Ingestion : No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : No specific data.

Inhalation : No specific data.

Skin contact : No specific data.

Ingestion : No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Specific treatments : No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media : None identified.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture : In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
nitrogen oxides
metal oxide/oxides
ammonia
Avoid breathing dusts, vapors or fumes from burning materials.

In case of inhalation of decomposition products in a fire, symptoms may be delayed.

5.3 Advice for firefighters

- Special precautions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
- Additional information** : None.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
- For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

- 6.2 Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.
- 6.4 Reference to other sections** : See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8).
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

- Recommendations** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Bund storage facilities to prevent soil and water pollution in the event of spillage.

7.3 Specific end use(s)

- Recommendations** : Not available.
- Industrial sector specific solutions** : Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

<u>Product / ingredient name</u>	<u>Exposure limit values</u>
manganese carbonate	EH40/2005 WELs (2003-05-01) Time Weighted Average (TWA) 0.5 mg/m ³ (Calculated as Mn) EH40/2005 WELs (2003-05-01) Time Weighted Average (TWA) 0.5 mg/m ³ (Calculated as Mn)
glycerol	EH40/2005 WELs (1997-01-01)

Time Weighted Average (TWA) 10 mg/m³ Form: Mist

- Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.
Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.

DNELs/DMELs

Product / ingredient name	Type	Exposure	Value	Population	Effects
manganese carbonate	DNEL	Long term Dermal	0.004 mg/kg bw/day	Workers	Systemic
manganese carbonate	DNEL	Long term Inhalation	0.2 mg/m ³	Workers	Systemic
manganese carbonate	DNEL	Long term Dermal	0.002 mg/kg bw/day	Consumers	Systemic
manganese carbonate	DNEL	Long term Inhalation	0.043 mg/m ³	Consumers	Systemic

PNECs

Product / ingredient name	Type	Compartment Detail	Value	Method Detail
manganese carbonate	PNEC	Fresh water	0.0084 mg/l	Assessment Factors
manganese carbonate	PNEC	Marine water	0.0008 mg/l	Assessment Factors
manganese carbonate	PNEC	Fresh water sediment	8.18 mg/kg dwt	Assessment Factors
manganese carbonate	PNEC	Marine water sediment	0.81 mg/kg dwt	Assessment Factors
manganese carbonate	PNEC	Soil	8.15 mg/kg dwt	Assessment Factors
manganese carbonate	PNEC	Sewage Treatment Plant	100 mg/l	Assessment Factors

8.2 Exposure controls

- Appropriate engineering controls** : No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Wash contaminated clothing before reusing.

- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

Skin protection

- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties****Appearance**

- Physical state** : liquid
- Color** : Pink
- Odor** : Not determined.
- Odor threshold** : Not determined.
- pH** : 9
- Melting point/freezing point** : -5 °C
- Initial boiling point and boiling range** : Not determined
- Flash point** : Not determined
- Evaporation rate** : Not determined
- Flammability (solid, gas)** : Non-flammable.
- Burning time** : Not determined
- Burning rate** : Not determined
- Upper/lower flammability or explosive limits** : **Lower:** Not determined
Upper: Not determined
- Vapor pressure** : Not determined
- Vapor density** : Not determined
- Relative density** : 1.827
- Bulk density** : Not determined
- Partition coefficient: n-octanol/water** : Not determined

Auto-ignition temperature : Not determined
Viscosity : **Dynamic:** 1,500 - 2,500 mPa.s

Explosive properties : **Kinematic:** Not determined
Oxidizing properties : None.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability : The product is stable.

10.3 Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : No specific data.

10.5 Incompatible materials : Urea reacts with calcium hypochlorite or sodium hypochlorite to form the explosive nitrogen trichloride.

10.6 Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product / ingredient name	Result	Species	Dose	Exposure	References
manganese carbonate					
	LD50 Oral	Rat	> 2,000 mg/kg OECD 420	-	IUCLID5
	LC50 Inhalation	Rat	> 5.34 mg/l	4 h	
glycerol					
	LD50 Oral	Rat	12,600 mg/kg	-	ENTOX* - ,449,2005
2-PROPENOIC ACID, HOMOPOLYMER, SODIUM SALT					
	LD50 Oral	Rat	> 40,000 mg/kg	-	PSTGAW 20,16,1953

Conclusion/Summary : No known significant effects or critical hazards.

Irritation/Corrosion

Product / ingredient name	Result	Species	Score	Exposure	Observation	References

2-PROPENOIC ACID, HOMOPOLYMER, SODIUM SALT	Eyes - Moderate irritant	Rabbit			-	
--	--------------------------	--------	--	--	---	--

Conclusion/Summary

- Skin** : No known significant effects or critical hazards.
Eyes : No known significant effects or critical hazards.
Respiratory : No known significant effects or critical hazards.

Sensitization**Conclusion/Summary**

- Skin** : No known significant effects or critical hazards.
Respiratory : No known significant effects or critical hazards.

Mutagenicity

- Conclusion/Summary** : No known significant effects or critical hazards.

Carcinogenicity

- Conclusion/Summary** : No known significant effects or critical hazards.

Reproductive toxicity

- Conclusion/Summary** : No known significant effects or critical hazards.

Teratogenicity

- Conclusion/Summary** : No known significant effects or critical hazards.

- Information on the likely routes of exposure** : No known significant effects or critical hazards.

Potential acute health effects

- Inhalation** : Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
- Ingestion** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Eye contact** : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

- Inhalation** : No specific data.
- Ingestion** : No specific data.
- Skin contact** : No specific data.
- Eye contact** : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : No known significant effects or critical hazards.

Potential delayed effects : No known significant effects or critical hazards.

Long term exposure

Potential immediate effects : No known significant effects or critical hazards.

Potential delayed effects : No known significant effects or critical hazards.

Potential chronic health effects

Conclusion/Summary : No known significant effects or critical hazards.

General : No known significant effects or critical hazards.

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Teratogenicity : No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

SECTION 12: Ecological information

12.1 Toxicity

Product / ingredient name	Result	Species	Exposure	References
manganese carbonate				
	Acute EC50 > 4 mg/l Fresh water OECD 202	Aquatic invertebrates. Daphnia	48 h	IUCLID5
glycerol				
	Acute LC50 54,000 mg/l Fresh water	Fish - Rainbow trout, donaldson trout	4 d	Resour.Publ.No. 160, U.S.Dep.Interior, Fish Wildl.Serv., Washington, DC :505 p. (USGS Data File)
2-PROPENOIC ACID, HOMOPOLYMER, SODIUM SALT				
	Acute LC50 > 200 mg/l Fresh water	Fish - Fish.	96 h	

Conclusion/Summary : No known significant effects or critical hazards.

12.2 Persistence and degradability

Conclusion/Summary : No known significant effects or critical hazards.

Product / ingredient name	Aquatic half-life	Photolysis	Biodegradability	References
manganese carbonate				
			Not relevant for inorganic	

substances.

12.3 Bioaccumulative potential

Product / ingredient name	LogPow	BCF	Potential	References
glycerol	-1.76	-	low	

Conclusion/Summary : No known significant effects or critical hazards.

12.4 Mobility in soil

Soil/water partition coefficient (KOC) : Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods**Product**

Methods of disposal : The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Hazardous waste : Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

Packaging

Methods of disposal : The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions : This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

Regulation: ADR/RID

14.1 UN number	Not regulated.
14.2 UN proper shipping name	
14.3 Transport hazard class(es)	
14.4 Packing group	
14.5 Environmental hazards	No.
14.6 Additional information	: ADR/RID

Regulation: ADN	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	
14.3 Transport hazard class(es)	
14.4 Packing group	
14.5 Environmental hazards	Yes.
14.6 Additional information	: ADN
<u>Marine pollutant</u>	: Yes.

Regulation: IMDG	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	
14.3 Transport hazard class(es)	
14.4 Packing group	
14.5 Environmental hazards	No.
14.6 Additional information	: IMDG
<u>Marine pollutant</u>	: No.

Regulation: IATA	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	
14.3 Transport hazard class(es)	
14.4 Packing group	
14.5 Environmental hazards	No.
14.6 Additional information	: IATA
<u>Marine pollutant</u>	: No.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not available.

14.8 IMSBC : Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)
Annex XIV - List of substances subject to authorization
Substances of very high concern

Not applicable.

Other EU regulations

- Europe inventory** : All components are listed or exempted.
Integrated pollution prevention and control list (IPPC) - Air : Not listed
Integrated pollution prevention and control list (IPPC) - Water : Not listed

Seveso II Directive

This product is not controlled under the Seveso II Directive.

National regulations

- Notes** : To our knowledge no other country or state specific regulations are applicable.
- 15.2 Chemical Safety Assessment** : This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

- Abbreviations and acronyms** : ATE = Acute Toxicity Estimate
 CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
 DNEL = Derived No Effect Level
 DMEL = Derived Minimal Effect Level
 EUH statement = CLP-specific Hazard statement
 PNEC = Predicted No Effect Concentration
 RRN = REACH Registration Number
 PBT = Persistent, Bioaccumulative and Toxic
 vPvB = Very Persistent and Very Bioaccumulative
 bw = Body weight
- Key literature references and sources for data** : EU REACH IUCLID5 CSR.
 National Institute for Occupational Safety and Health, U.S. Dept. of Health, Education, and Welfare, Reports and Memoranda Registry of Toxic Effects of Chemical Substances.
 IHS, 4777 Levy Street, St Laurent, Quebec HAR 2P9, Canada. Regulation (EC) No 1272/2008 Annex VI.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Not classified.	Calculation method

- Full text of abbreviated H statements** : H319 Causes serious eye irritation.
- Full text of classifications [CLP/GHS]** : **Eye Dam./Irrit. 2, H319:** SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2
- Full text of abbreviated R phrases** : R36- Irritating to eyes.
- Full text of classifications [DSD/DPD]** : Xi - Irritant
- Date of printing** : 04.12.2013
- Date of issue/ Date of revision** : 26.11.2013

Date of previous issue : 02.01.2013
Version : 1.1
Prepared by : Yara Product Classifications & Regulations.

|| Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information provided in this Safety Data Sheet is accurate as at the date of its issue. The information it contains is being given for safety guidance purposes and relates only to the specific material and uses described in it. This information does not necessarily apply to that material when combined with other material(s) or when used otherwise than as described herein, since all materials may represent unknown hazards and should be used with caution. Final determination of the suitability of any material is the sole responsibility of the user.