SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006



 MOVENTO

 Version 4 / GB
 Revision Date: 23.09.2014

 102000016434
 Print Date: 24.09.2014

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name MOVENTO
Product code (UVP) 06082040

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience Limited

230 Cambridge Science Park

Milton Road Cambridge

Cambridgeshire CB4 0WB

United Kingdom

Telephone +44(0)1223 226500 Telefax +44(0)1223 426240

Responsible Department Email: ukinfo@bayercropscience.com

1.4 Emergency telephone no.

Emergency telephone no. 0800-220876 (UK 24 hr)

+44(0)1635-563000 (Overseas 24 hr)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Reproductive toxicity: Category 2

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

Skin sensitisation: Category 1

H317 May cause an allergic skin reaction.

Eye irritation: Category 2

H319 Causes serious eye irritation.

Chronic aquatic toxicity: Category 2

H411 Toxic to aquatic life with long lasting effects.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

Repr.Cat.3, R62, R63

R43

N Dangerous for the environment, R51/53

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006



MOVENTO 2/10

Version 4 / GB Revision Date: 23.09.2014 102000016434 Print Date: 24.09.2014

Spirotetramat







Signal word: Warning Hazard statements

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H411 Toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the instructions for

use.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or

collection site except for empty clean containers which can be disposed of as non-

hazardous waste.

2.3 Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Oil dispersion (OD) Spirotetramat 150 g/l

Hazardous components

R-phrase(s) according to EC directive 67/548/EEC

Hazard statements according to Regulation (EC) No. 1907/2006

Name	CAS-No./	Classification		Conc. [%]
	EC-No.	EC Directive 67/548/EEC	Regulation (EC) No 1272/2008	
Spirotetramat	203313-25-1 606-523-6	Repr.Cat.3 R62, R63 Xi; R36/37 R43 N; R50/53	Repr. 2, H361fd STOT SE 3, H335 Eye Irrit. 2, H319 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	15.30
2-Ethylhexanol propylene ethyleneglycol ether	64366-70-7	Xn; R20 R52/53	Acute Tox. 4, H332 Aquatic Chronic 3, H412	> 1.00 - < 25.00
Fatty alcohol ethoxylate	68131-39-5 500-195-7	Xn; R22 Xi; R41 N; R50	Acute Tox. 4, H302 Eye Dam. 1, H318 Aquatic Acute 1, H400	> 0.10 - < 2.50

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006



MOVENTO 3/10 Version 4/GB Revision Date: 23.09.2014 102000016434 Print Date: 24.09.2014

2,6-Di-tert-butyl-4-	128-37-0	N; R50/53	Aquatic Acute 1, H400	> 0.10 - <
methylphenol	204-881-4		Aquatic Chronic 1, H410	2.50

Further information

Spirotetramat	203313-25-1	M-Factor: 1 (acute), 1 (chronic)
---------------	-------------	----------------------------------

For the full text of the R-phrases/ Hazard statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice Move out of dangerous area. Place and transport victim in stable

position (lying sideways). Remove contaminated clothing immediately

and dispose of safely.

Inhalation Move to fresh air. Keep patient warm and at rest. Call a physician or

poison control center immediately.

Skin contact Wash off thoroughly with plenty of soap and water, if available with

polyethyleneglycol 400, subsequently rinse with water. If symptoms

persist, call a physician.

Rinse immediately with plenty of water, also under the eyelids, for at Eye contact

> least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation

develops and persists.

Ingestion Rinse mouth. Do NOT induce vomiting. Call a physician or poison

control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

No symptoms known or expected. **Symptoms**

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. In case of ingestion gastric lavage should be **Treatment**

considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium

sulphate is always advisable. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Water spray, Carbon dioxide (CO2), Foam, Sand

5.2 Special hazards arising

mixture

from the substance or

In the event of fire the following may be released:, Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective

equipment for fire-fighters

In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from

fire fighting to enter drains or water courses.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006



Print Date: 24.09.2014

MOVENTO 4/10 Version 4/GB Revision Date: 23.09.2014 102000016434

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with spilled product or contaminated surfaces. Use **Precautions**

personal protective equipment.

6.2 Environmental

precautions

Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800

807060).

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in

suitable, closed containers for disposal.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling No specific precautions required when handling unopened

packs/containers; follow relevant manual handling advice. Ensure

adequate ventilation.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes

> separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be

destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Store bulk material and packed materials in a closed warehouse or under cover protected against direct sunlight and frost.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials HDPE (high density polyethylene)

Only IBC 1000 liter are recommended as bulk container for re-filling.

7.3 Specific end uses Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Spirotetramat	203313-25-1	2.8 mg/m3		OES BCS*

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006



 MOVENTO
 5/10

 Version 4 / GB
 Revision Date: 23.09.2014

 102000016434
 Print Date: 24.09.2014

		(TWA)		
2,6-Di-tert-butyl-4-	128-37-0	10 mg/m3	12 2011	EH40 WEL
methylphenol		(TWA)		

^{*}OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection Respiratory protection is not required under anticipated

circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's

instructions regarding wearing and maintenance.

Hand protection Wear CE Marked (or equivalent) nitrile rubber gloves (minimum

thickness of 0,4 mm). Wash when contaminated and dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Eye protection Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection Wear standard coveralls and Category 3 Type 4 suit.

If there is a risk of significant exposure, consider a higher protective

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully

remove and dispose of as advised by manufacturer.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form dispersion

Colourlight beige to light brownOdourweak, characteristic

pH 4.0 - 6.0 at 1 % (23 °C) (deionized water)

Flash point >100 °C Ignition temperature ca. 405 °C

Density ca. 0.98 g/cm³ at 20 °C

Water solubility dispersible

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006



 MOVENTO
 6/10

 Version 4 / GB
 Revision Date: 23.09.2014

 102000016434
 Print Date: 24.09.2014

Partition coefficient: n-

octanol/water

Spirotetramat: log Pow: 2.5 at pH 7

Viscosity, dynamic <= 1,300 mPa.s at 20 °C Velocity gradient 7.5 /s

Surface tension 28 mN/m at 25 °C

Explosivity Not explosive

9.2 Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous

decomposition products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (rat) > 2,000 mg/kg

Acute inhalation toxicity LC50 (rat) > 0.842 mg/l

Exposure time: 4 h

Determined in the form of a respirable aerosol.

Highest attainable concentration.

Acute dermal toxicityLD50 (rat) > 2,000 mg/kgSkin irritationNo skin irritation (rabbit)Eye irritationIrritating to eyes. (rabbit)SensitisationSensitising (guinea pig)

OECD Test Guideline 406, Buehler test

Assessment repeated dose toxicity

Spirotetramat did not cause specific target organ toxicity in experimental animal studies.

Assessment Mutagenicity

Spirotetramat was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Spirotetramat was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006



 MOVENTO

 Version 4 / GB
 Revision Date: 23.09.2014

 102000016434
 Print Date: 24.09.2014

Spirotetramat caused male reproductive toxicity in the presence of general toxicity in the rat at very high experimental dose levels. There were no effects on male fertility in mice and dogs. The reproductive toxicity seen with Spirotetramat is due to an overwhelmed elimination capacity at high doses. The high dose levels needed for this effect cannot be achieved even in a worst case exposure scenario.

Assessment developmental toxicity

Spirotetramat caused developmental toxicity only at dose levels toxic to the dams. Spirotetramat caused a delayed foetal growth, an increased incidence of variations.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 (Oncorhynchus mykiss (Rainbow trout)) 9.48 mg/l

Exposure time: 96 h

Test conducted with a similar formulation.

Toxicity to aquatic invertebrates

EC50 (Water flea (Daphnia magna)) >= 42.7 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient.

LC50 (Chironomus riparius (non-biting midge)) 8.74 mg/l

Exposure time: 48 h

Toxicity to aquatic plants IC50 (Pseudokirchneriella subcapitata) > 100 mg/l

Growth rate; Exposure time: 72 h

Test conducted with a similar formulation.

12.2 Persistence and degradability

Biodegradability Spirotetramat:

not rapidly biodegradable

Koc Spirotetramat: Koc: 289

12.3 Bioaccumulative potential

Bioaccumulation Spirotetramat:

Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Spirotetramat: Moderately mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Spirotetramat: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Additional ecological

information

No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006



 MOVENTO

 Version 4 / GB
 Revision Date: 23.09.2014

 102000016434
 Print Date: 24.09.2014

Product In accordance with current regulations and, if necessary, after

consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part

of the Environment Agency in the UK).

Contaminated packaging Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using

an integrated pressure rinsing device, or, by manually rinsing three

times.

Add washings to sprayer at time of filling. Dispose of empty and cleaned packaging safely.

Large containers (> 25 I or > 25 kg) should not be rinsed or re-used for

any other purpose.

Return large containers to supplier.

Follow advice on product label and/or leaflet.

Waste key for the unused

product

020108 agrochemical waste containing dangerous substances

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(SPIROTETRAMAT SOLUTION)

14.3 Transport hazard class(es) 9
14.4 Packing group III
14.5 Environm. Hazardous Mark YES
Hazard no. 90
Tunnel Code E

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(SPIROTETRAMAT SOLUTION)

14.3 Transport hazard class(es) 9
14.4 Packing group III
14.5 Marine pollutant YES

IATA

14.1 UN number **308**:

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(SPIROTETRAMAT SOLUTION)

14.3 Transport hazard class(es) 9
14.4 Packing group III
14.5 Environm. Hazardous Mark YES

UK 'Carriage' Regulations

14.1 UN number **3082**

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006



 MOVENTO

 Version 4 / GB
 Revision Date: 23.09.2014

 102000016434
 Print Date: 24.09.2014

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(SPIROTETRAMAT SOLUTION)

14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environm. Hazardous Mark
Emergency action code
3Z

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture UK and Northern Ireland Regulatory References

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367) Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716) Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009 Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)

EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits Control of Pesticide Regulations 1986

Dangerous Substances and Explosive Atmospheres Regulations 2002

Waste Treatment

Environmental Protection Act 1990, Part II

Environmental Protection (Duty of Care) Regulations 1991

The Waste Management Licensing Regulations 1994 (as amended)

Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)

Landfill Directive

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

Water Resources Act 1991

Anti-Pollution Works Regulations 1999

Further information

WHO-classification: III (Slightly hazardous)

15.2 Chemical Safety Assessment

A chemical safety assessment is not required.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006



MOVENTO
Version 4 / GB
Revision Date: 23.09.2014

102000016434 Print Date: 24.09.2014

SECTION 16: OTHER INFORMATION

Text of R-phrases mentioned in Section 3

R20 Harmful by inhalation. R22 Harmful if swallowed.

R36/37 Irritating to eyes and respiratory system.

R41 Risk of serious damage to eyes.

R43 May cause sensitisation by skin contact.

R50 Very toxic to aquatic organisms.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R62 Possible risk of impaired fertility.

R63 Possible risk of harm to the unborn child.

Text of the hazard statements mentioned in Section 3

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.