

Safety data sheet

Page: 1/17

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 30.08.2012

Version: 2.0

Product: **PDM 330 EC**

(ID no. 30283312/SDS_CPA_GB/EN)

Date of print 01.09.2012

1. Identification of the substance/mixture and of the company/undertaking

Product identifier

PDM 330 EC

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, herbicide

Details of the supplier of the safety data sheet

Company:BASF SE
67056 Ludwigshafen
GERMANYContact address:BASF plc
PO Box 4, Earl Road, Cheadle Hulme,
Cheadle, Cheshire
SK8 6QG, UNITED KINGDOM

Telephone: +44 161 485-6222

E-mail address: product-safety-north@basf.com

Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

2. Hazards Identification

Label elements

Globally Harmonized System, EU (GHS)

Pictogram:



BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 30.08.2012

Version: 2.0

Product: **PDM 330 EC**

(ID no. 30283312/SDS_CPA_GB/EN)

Date of print 01.09.2012

Signal Word:

Danger

Hazard Statement:

H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H304	May be fatal if swallowed and enters airways.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary Statements (Prevention):

P280f	Wear protective gloves and eye/face protection.
P264	Wash with plenty of water and soap thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.

Precautionary Statements (Response):

P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P331	Do NOT induce vomiting.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P361	Remove/Take off immediately all contaminated clothing.
P391	Collect spillage.
P330	Rinse mouth.
P332 + P313	If skin irritation occurs: Get medical advice/attention.

Precautionary Statements (Disposal):

P501	Dispose of contents/container to hazardous or special waste collection point.
------	---

Labeling of special preparations (GHS):

| May produce an allergic reaction. Contains: PENDIMETHALIN

According to Regulation (EC) No 1272/2008 [CLP]

| Hazard determining component(s) for labelling: PENDIMETHALIN, SOLVENT NAPHTHA

According to Directive 67/548/EEC or 1999/45/EC

Classification/labelling in accordance with UK regulations.

Hazard symbol(s)

Xn Harmful.



N Dangerous for the environment.



BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 30.08.2012

Version: 2.0

Product: **PDM 330 EC**

(ID no. 30283312/SDS_CPA_GB/EN)

Date of print 01.09.2012

R-phrases(s)

R22	Harmful if swallowed.
R36/38	Irritating to eyes and skin.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrases(s)

S2	Keep out of the reach of children.
S13	Keep away from food, drink and animal feeding stuffs.
S20/21	When using do not eat, drink or smoke.
S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S35	This material and its container must be disposed of in a safe way.
S37	Wear suitable gloves.
S46	If swallowed, seek medical advice immediately and show this container or label.
S57	Use appropriate container to avoid environmental contamination.

| Hazard determining component(s) for labelling: PENDIMETHALIN, SOLVENT NAPHTHA

| The product contains: PENDIMETHALIN
May produce an allergic reaction.

Classification of the substance or mixtureAccording to Regulation (EC) No 1272/2008 [CLP]

| Asp. Tox. 1
| Acute Tox. 4 (oral)
| Skin Corr./Irrit. 2
| Eye Dam./Irrit. 2
| Aquatic Acute 1
| Aquatic Chronic 1

According to Directive 67/548/EEC or 1999/45/EC**Possible Hazards:**

Harmful if swallowed.
Irritating to eyes and skin.
Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

For the classifications not written out in full in this section the full text can be found in section 16.

Other hazardsAccording to Regulation (EC) No 1272/2008 [CLP]

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients

Mixtures

Chemical nature

crop protection product, herbicide, Emulsifiable concentrate (EC)

Hazardous ingredients (GHS)

according to Regulation (EC) No. 1272/2008

| pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine

Content (W/W): 31.3 %	Skin Sens. 1
CAS Number: 40487-42-1	Aquatic Acute 1
EC-Number: 254-938-2	Aquatic Chronic 1
INDEX-Number: 609-042-00-X	H317, H400, H410

| solvent naphtha

Content (W/W): < 60 %	Asp. Tox. 1
CAS Number: 64742-94-5	Aquatic Chronic 2
REACH registration number: 01-2119451097-39	H411, H304, EUH066

| Calcium alkyl benzene sulphonate

Content (W/W): < 10 %	Asp. Tox. 1
	Flam. Liq. 3
	Acute Tox. 4 (Inhalation - vapour)
	Skin Corr./Irrit. 2
	Eye Dam./Irrit. 1
	STOT SE 3 (drowsiness and dizziness)
	H318, H315, H332, H226, H304, H336

| 2-methylpropan-1-ol; iso-butanol

Content (W/W): < 5 %	Flam. Liq. 3
CAS Number: 78-83-1	Skin Corr./Irrit. 2
EC-Number: 201-148-0	Eye Dam./Irrit. 1
REACH registration number: 01-2119484609-23	STOT SE 3 (drowsiness and dizziness)
INDEX-Number: 603-108-00-1	STOT SE 3 (irr. to respiratory syst.)
	H318, H315, H226, H336, H335

| naphthalene

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 30.08.2012

Version: 2.0

Product: **PDM 330 EC**

(ID no. 30283312/SDS_CPA_GB/EN)

Date of print 01.09.2012

Content (W/W): < 1 %	Acute Tox. 4 (oral)
CAS Number: 91-20-3	Carc. 2
EC-Number: 202-049-5	Aquatic Acute 1
INDEX-Number: 601-052-00-2	Aquatic Chronic 1
	M-factor acute: 1
	M-factor chronic: 1
	H302, H400, H410, H351

Hazardous ingredients

according to Directive 1999/45/EC

| pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine

Content (W/W): 31.3 %
CAS Number: 40487-42-1
EC-Number: 254-938-2
INDEX-Number: 609-042-00-X
Hazard symbol(s): Xi, N
R-phrase(s): 43, 50/53

solvent naphtha

Content (W/W): < 60 %
CAS Number: 64742-94-5
REACH registration number: 01-2119451097-39
Hazard symbol(s): Xn, N
R-phrase(s): 65, 66, 51/53

| Calcium alkyl benzene sulphonate

Content (W/W): < 10 %
Hazard symbol(s): Xn
R-phrase(s): 10, 20, 38, 41, 65, 67

| 2-methylpropan-1-ol; iso-butanol

Content (W/W): < 5 %
CAS Number: 78-83-1
EC-Number: 201-148-0
REACH registration number: 01-2119484609-23
INDEX-Number: 603-108-00-1
Hazard symbol(s): Xi
R-phrase(s): 10, 37/38, 41, 67

| naphthalene

Content (W/W): < 1 %
CAS Number: 91-20-3
EC-Number: 202-049-5
INDEX-Number: 601-052-00-2
Hazard symbol(s): Xn, N
R-phrase(s): 22, 40, 50/53
Carc. Cat. 3

For the classifications not written out in full in this section, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, the full text is listed in section 16.

4. First-Aid Measures

Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

Show container, label and/or safety data sheet to physician.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
water spray, carbon dioxide, foam, dry powder

Special hazards arising from the substance or mixture

carbon monoxide, Carbon dioxide, nitrogen oxides, sulfur oxides
The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Special protective equipment:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not allow contamination of public drains or surface or ground waters. Inform local water plc if spillage enters drains and the Environment Agency (England & Wales), the Scottish Environmental Protection Agency (Scotland), or the Environment and Heritage Service (Northern Ireland) if it enters surface or ground waters. Keep people and animals away.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Protect from temperatures below: 0 °C

The product can crystallize below the limit temperature.

Protect from temperatures above: 40 °C

BASF Safety data sheet according to Regulation (EC) No. 1907/2006
Date / Revised: 30.08.2012
Product: **PDM 330 EC**

Version: 2.0

(ID no. 30283312/SDS_CPA_GB/EN)

Date of print 01.09.2012

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with workplace control parameters

78-83-1: 2-methylpropan-1-ol; iso-butanol

TWA value 154 mg/m³ ; 50 ppm (EH40 (UK))

STEL value 231 mg/m³ ; 75 ppm (EH40 (UK))

91-20-3: naphthalene

TWA value 50 mg/m³ ; 10 ppm (OEL (EU))

indicative

Refer to the current edition of HSE Guidance Note EH40 Occupational Exposure Limits (United Kingdom). For normal use and handling refer to the product label/leaflet. In all other cases the following apply.

Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) and other

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form:	liquid	
Colour:	dark brown	
Odour:	of the solvent contained in the product	
Odour threshold:		
	not determined	
pH value:	approx. 5 - 8 (1 %(m), 20 °C) (as an emulsion)	
Melting point:		
	The product has not been tested.	
Boiling range:	approx. 244 - 292 °C	
	Information applies to the solvent.	
Flash point:	approx. 61 °C	(DIN 51755)
Evaporation rate:		
	not applicable	
Flammability:	not determined	
Lower explosion limit:		
	not determined	
Upper explosion limit:		
	not determined	
Ignition temperature:	375 °C	(Directive 92/69/EEC, A.15)
Vapour pressure:	approx. 100 hPa (20 °C)	
	Information applies to the solvent.	
Density:	approx. 1.054 g/cm ³ (20 °C)	(OECD Guideline 109)
Relative vapour density (air):		
	not determined	
Solubility in water:	emulsifiable	
Partitioning coefficient n-octanol/water (log Kow):		
	not applicable	
Thermal decomposition:	not determined	
Viscosity, dynamic:	10 - 15 mPa.s (25 °C)	
	not determined	
Viscosity, kinematic:	7 mm ² /s (40 °C)	
Explosion hazard:	not explosive	(Directive 92/69/EEC, A.14)
Fire promoting properties:	not fire-propagating	(UN Test O.2 (oxidizing liquids))

Other information

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See MSDS section 7 - Handling and storage.

Incompatible materials

Substances to avoid:
strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:
Of moderate toxicity after single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Experimental/calculated data:

LD50 rat (oral): > 500 - < 2,000 mg/kg (OECD Guideline 423)

LC50 rat (by inhalation): > 5.2 mg/l 4 h (OECD Guideline 403)
An aerosol was tested.

LD50 rat (dermal): > 4,000 mg/kg (OECD Guideline 402)
No mortality was observed.

Irritation

Assessment of irritating effects:
Skin contact causes irritation. Eye contact causes irritation.

Experimental/calculated data:

Skin corrosion/irritation rabbit: Irritant. (OECD Guideline 404)

Serious eye damage/irritation rabbit: Irritant. (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

modified Buehler test guinea pig: Skin sensitizing effects were not observed in animal studies.
(OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: naphthalene

Assessment of mutagenicity:

The substance was not mutagenic in bacteria. The substance was mutagenic in a mammalian cell culture test system. The substance was not mutagenic in a test with mammals. Literature data.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine

Assessment of carcinogenicity:

In long-term studies in rats the substance induced thyroid tumors. The effect is caused by an animal specific mechanism that has no human counter part. In long-term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed.

Information on: naphthalene

Assessment of carcinogenicity:

Indication of possible carcinogenic effect in animal tests.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)**Assessment of repeated dose toxicity:**

The product has not been tested. The statement has been derived from the properties of the individual components.

| Information on: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylylidine

Assessment of repeated dose toxicity:

| No substance-specific organotoxicity was observed after repeated administration to animals. Adaptive effects were observed after repeated exposure in animal studies.

Aspiration hazard

May also damage the lung at swallowing (aspiration hazard).

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Toxicity to fish:

LC50 (96 h) 1.5 mg/l, *Oncorhynchus mykiss* (EPA 72-1, static)

Aquatic invertebrates:

EC50 (48 h) 1.76 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

Aquatic plants:

EC50 (72 h) 0.362 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201, static)

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

| Information on: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylylidine

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

| *Information on: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylylidine*

Bioaccumulation potential:

| *Bioconcentration factor: 5,100, Lepomis macrochirus*

Based on a weight of evidence, the compound will not bioaccumulate.

Mobility in soil (and other compartments if available)

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

| *Information on: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylylidine*

Assessment transport between environmental compartments:

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Other adverse effects

The product does not contain substances that are listed in Annex I of Regulation (EC) 2037/2000 on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 30.08.2012

Version: 2.0

Product: **PDM 330 EC**

(ID no. 30283312/SDS_CPA_GB/EN)

Date of print 01.09.2012

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

ADR

UN number UN3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains SOLVENT NAPHTHA, PENDIMETHALIN)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: Tunnel code: E

RID

UN number UN3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains SOLVENT NAPHTHA, PENDIMETHALIN)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

Inland waterway transport

ADN

UN number UN3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains SOLVENT NAPHTHA, PENDIMETHALIN)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: None known
Transport in inland waterway vessel: Not evaluated

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 30.08.2012

Version: 2.0

Product: **PDM 330 EC**

(ID no. 30283312/SDS_CPA_GB/EN)

Date of print 01.09.2012

Sea transport

IMDG

UN number:	UN 3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains SOLVENT NAPHTHA, PENDIMETHALIN)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
	Marine pollutant: YES
Special precautions for user:	None known

Air transport

IATA/ICAO

UN number:	UN 3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains SOLVENT NAPHTHA, PENDIMETHALIN)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

Further information

This product is subject to the most recent edition of "The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations" and their amendments (United Kingdom).

15. Regulatory Information**Safety, health and environmental regulations/legislation specific for the substance or mixture**

For the user of this plant-protective product applies: 'To avoid risks to man and the environment, comply with the instructions for use.' (Directive 1999/45/EC, Article 10, No. 1.2)

To avoid risks to man and the environment, comply with the instructions for use.

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

This product is classified under the Chemicals (Hazard Information and Packaging) Regulations, (CHIP) (United Kingdom).

This product may be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments if specific threshold tonnages are exceeded (United Kingdom).

Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

16. Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Full text of the classifications, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, if mentioned in section 2 or 3:

Xi	Irritant.
N	Dangerous for the environment.
Xn	Harmful.
43	May cause sensitization by skin contact.
50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
65	Harmful: may cause lung damage if swallowed.
66	Repeated exposure may cause skin dryness or cracking.
51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
10	Flammable.
20	Harmful by inhalation.
38	Irritating to skin.
41	Risk of serious damage to eyes.
67	Vapours may cause drowsiness and dizziness.
37/38	Irritating to respiratory system and skin.
22	Harmful if swallowed.
40	Limited evidence of a carcinogenic effect.
Asp. Tox.	Aspiration hazard
Acute Tox.	Acute toxicity
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Skin Sens.	Skin sensitization
Flam. Liq.	Flammable liquid
STOT SE	Specific target organ toxicity — single exposure
Carc.	Carcinogenicity
Carc. Cat. 3	Carcinogenic substances Category 3: Substances which cause concern

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 30.08.2012

Version: 2.0

Product: **PDM 330 EC**

(ID no. 30283312/SDS_CPA_GB/EN)

Date of print 01.09.2012

	for man owing to possible carcinogenic effects.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H304	May be fatal if swallowed and enters airways.
EUH066	Repeated exposure may cause skin dryness or cracking.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H332	Harmful if inhaled.
H226	Flammable liquid and vapour.
H336	May cause drowsiness or dizziness.
H335	May cause respiratory irritation.
H302	Harmful if swallowed.
H351	Suspected of causing cancer.

If you have any queries relating to this MSDS, its contents or any other product safety related questions, please write to the following e-mail address: product-safety-north@basf.com

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.