

Safety data sheet

Page: 1/16

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 Date / Revised: 28.04.2014 Product: **PICO PRO.**

Version: 4.0

(ID no. 30513026/SDS_CPA_GB/EN)

Date of print 29.04.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

PICO PRO.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, herbicide

1.3. Details of the supplier of the safety data sheet

<u>Company:</u> BASF SE 67056 Ludwigshafen GERMANY <u>Contact address:</u> BASF plc PO Box 4, Earl Road, Cheadle Hulme, Cheadle, Cheshire SK8 6QG, UNITED KINGDOM

Telephone: +44 161 485-6222 E-mail address: product-safety-north@basf.com

1.4. Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

Aquatic Acute 1 Aquatic Chronic 1

According to Directive 67/548/EEC or 1999/45/EC

Page: 2/16

Version: 4.0

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 Date / Revised: 28.04.2014 Product: PICO PRO.

(ID no. 30513026/SDS_CPA_GB/EN)

Date of print 29.04.2014

Possible Hazards:

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

Globally Harmonized System, EU (GHS)

Pictogram:



Signal Word: Warning

H400

H410

Hazard Statement: Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary Statements (Response): P391 Collect spillage.

Labeling of special preparations (GHS): May produce an allergic reaction. Contains: PENDIMETHALIN

According to Directive 67/548/EEC or 1999/45/EC

EEC Directives

Hazard symbol(s) Dangerous for the environment. Ν



R-phrase(s) R50/53

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrase(s)

Page: 3/16

Version: 4.0

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 Date / Revised: 28.04.2014 Product: **PICO PRO.**

(ID no. 30513026/SDS_CPA_GB/EN)

Date of print 29.04.2014

S2	Keep out of the reach of children.
S13	Keep away from food, drink and animal feeding stuffs.
S20/21	When using do not eat, drink or smoke.
S29/35	Do not empty into drains, this material and its container must be
	disposed of in a safe way.
S57	Use appropriate container to avoid environmental contamination.

The product contains: PENDIMETHALIN May produce an allergic reaction.

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

crop protection product, herbicide, suspension concentrate (SC)

<u>Hazardous ingredients (GHS)</u> according to Regulation (EC) No. 1272/2008

pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine Content (W/W): 29.1 % Skin Sens. 1 CAS Number: 40487-42-1 Aquatic Acute 1 EC-Number: 254-938-2 Aquatic Chronic 1 INDEX-Number: 609-042-00-X H317, H400, H410

picolinafen (ISO); 2-Pyridinecarboxamide, N-(4-fluorophenyl)-6-[3-(trifluoromethyl)phenoxy]-Content (W/W): 1.5 % Aquatic Acute 1 CAS Number: 137641-05-5 Aquatic Chronic 1 H400, H410

sodium alkylnaphthalene sulphonate, formaldehyde condensate

Page: 4/16

Version: 4.0

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 Date / Revised: 28.04.2014 Product: **PICO PRO.**

(ID no. 30513026/SDS_CPA_GB/EN)

Date of print 29.04.2014

Content (W/W): < 10 %

Skin Corr./Irrit. 2 Eye Dam./Irrit. 2 H319, H315

Propane-1,2-diol Content (W/W): < 20 % CAS Number: 57-55-6 EC-Number: 200-338-0, 205-500-4 REACH registration number: 01-2119456809-23

Silica gel, precipitated, crystalline free Content (W/W): < 5 % CAS Number: 112926-00-8 REACH registration number: 01-2119379499-16

<u>Hazardous ingredients</u> according to Directive 1999/45/EC

pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine Content (W/W): 29.1 % CAS Number: 40487-42-1 EC-Number: 254-938-2 INDEX-Number: 609-042-00-X Hazard symbol(s): Xi, N R-phrase(s): 43, 50/53

picolinafen (ISO); 2-Pyridinecarboxamide, N-(4-fluorophenyl)-6-[3-(trifluoromethyl)phenoxy]-Content (W/W): 1.5 % CAS Number: 137641-05-5 Hazard symbol(s): N R-phrase(s): 50/53

sodium alkylnaphthalene sulphonate, formaldehyde condensate Content (W/W): < 10 % Hazard symbol(s): Xi R-phrase(s): 36/38

Page: 5/16

Version: 4.0

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 Date / Revised: 28.04.2014 Product: **PICO PRO.**

(ID no. 30513026/SDS_CPA_GB/EN)

Date of print 29.04.2014

Propane-1,2-diol

Content (W/W): < 20 % CAS Number: 57-55-6 EC-Number: 200-338-0 REACH registration number: 01-2119456809-23

Silica gel, precipitated, crystalline free Content (W/W): < 5 % CAS Number: 112926-00-8 REACH registration number: 01-2119379499-16

For the classifications not written out in full in this section, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Remove contaminated clothing.

Show container, label and/or safety data sheet to physician.

If inhaled: Keep patient calm, remove to fresh air.

On skin contact: Wash thoroughly with soap and water.

On contact with eyes: Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion: Rinse mouth and then drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

4.3. Indication of any immediate medical attention and special treatment needed Treatment: Symptomatic treatment (decontamination, vital functions).

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media: water spray, carbon dioxide, foam, dry powder

5.2. Special hazards arising from the substance or mixture

Page: 6/16

Version: 4.0

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 Date / Revised: 28.04.2014 Product: **PICO PRO.**

(ID no. 30513026/SDS_CPA_GB/EN)

Date of print 29.04.2014

carbon monoxide, hydrogen fluoride, Carbon dioxide, nitrogen oxides, sulfur oxides The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

6.2. Environmental precautions

Do not allow contamination of public drains or surface or ground waters. Inform local water plc if spillage enters drains and the Environment Agency (England & Wales), the Scottish Environmental Protection Agency (Scotland), or the Environment and Heritage Service (Northern Ireland) if it enters surface or ground waters. Keep people and animals away.

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Page: 7/16

Version: 4.0

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 Date / Revised: 28.04.2014 Product: **PICO PRO.**

(ID no. 30513026/SDS_CPA_GB/EN)

Date of print 29.04.2014

7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

57-55-6: Propane-1,2-diol

TWA value 10 mg/m3 (WEL/EH 40 (UK)), Particulate TWA value 474 mg/m3 ; 150 ppm (WEL/EH 40 (UK)), Total vapour and particulates

Refer to the current edition of HSE Guidance Note EH40 Occupational Exposure Limits (United Kingdom). For normal use and handling refer to the product label/leaflet. In all other cases the following apply.

8.2. Exposure controls

Personal protective equipment

Respiratory protection: Respiratory protection not required.

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) and other

Eye protection: Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

Page: 8/16

Version: 4.0

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 Date / Revised: 28.04.2014 Product: **PICO PRO.**

(ID no. 30513026/SDS_CPA_GB/EN)

Date of print 29.04.2014

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form: Colour: Odour: Odour threshold:	suspension orange faint odour, nutty, aromatic	
pH value:	Not determined due to potential health hazard by inhalation. approx. 6 - 8 (CIPAC standard water D, 10 g/l, 20 °C)	
Melting temperature:		
Boiling point:	The product has not been tested. approx. 100 °C Information applies to the solvent.	
Flash point:	No flash point - Measurement made up to the boiling point.	(DIN EN 22719; ISO 2719)
Evaporation rate:		
Flammability: Lower explosion limit:	not applicable not flammable	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Ignition temperature: Vapour pressure:	380 °C approx. 23 hPa (20 °C) Information applies to the solvent.	(DIN EN 14522)
Density:	approx. 1.11 g/cm3 (20 °C)	(OECD Guideline 109)
Relative vapour density (air):	
Solubility in water: Partitioning coefficient n-	not applicable dispersible octanol/water (log Kow): not applicable	
Thermal decomposition:		osition according to UN transport

Page: 9/16

Version: 4.0

Date of print 29.04.2014

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 Date / Revised: 28.04.2014 Product: **PICO PRO.**

(ID no. 30513026/SDS_CPA_GB/EN)

(OECD 114)

Viscosity, dynamic: approx. 134 mPa.s (20 °C) Explosion hazard: not explosive Fire promoting properties: Based on its structural properties the product is not classified as oxidizing.

9.2. Other information

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section., The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

10.4. Conditions to avoid

See MSDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid: strong oxidizing agents, strong bases, strong acids

10.6. Hazardous decomposition products

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Page: 10/16

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 Date / Revised: 28.04.2014 Product: **PICO PRO.**

Version: 4.0

(ID no. 30513026/SDS_CPA_GB/EN)

Date of print 29.04.2014

Experimental/calculated data: LD50 rat (oral): > 5,000 mg/kg (OECD Guideline 401)

LC50 rat (by inhalation): > 3.75 mg/l 4 h (OECD Guideline 403) No mortality was observed. An aerosol was tested.

LD50 rat (dermal): > 4,000 mg/kg (OECD Guideline 402)

Irritation

Assessment of irritating effects:

Not irritating to the eyes. Not irritating to the skin. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data: Skin corrosion/irritation rabbit: non-irritant (Guideline 92/69/EEC, B.4)

Serious eye damage/irritation rabbit: non-irritant (Guideline 92/69/EEC, B.5)

Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Experimental/calculated data: modified Buehler test guinea pig: Skin sensitizing effects were not observed in animal studies. (Guideline 92/69/EEC, B.6)

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine Assessment of carcinogenicity:

In long-term studies in rats the substance induced thyroid tumors. The effect is caused by an animal specific mechanism that has no human counter part. In long-term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed.

Reproductive toxicity

Page: 11/16

Version: 4.0

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 Date / Revised: 28.04.2014 Product: **PICO PRO.**

(ID no. 30513026/SDS_CPA_GB/EN)

Date of print 29.04.2014

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine Assessment of repeated dose toxicity: No substance-specific organtoxicity was observed after repeated administration to animals. Adaptive effects were observed after repeated exposure in animal studies.

Information on: picolinafen (ISO); 2-Pyridinecarboxamide, N-(4-fluorophenyl)-6-[3-(trifluoromethyl)phenoxy]-Assessment of repeated dose toxicity: Repeated exposure to large quantities may affect certain organs.

Other relevant toxicity information

Misuse can be harmful to health.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity: Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Toxicity to fish: LC50 (96 h) 4.08 mg/l, Oncorhynchus mykiss (OPP 72-1 (EPA-Guideline), Flow through.)

Aquatic invertebrates: EC50 (48 h) 9.81 mg/l, Daphnia magna (OPP 72-2 (EPA-guideline), static)

Aquatic plants:

EC50 (72 h) 0.0299 mg/l (growth rate), Selenastrum capricornutum (OECD Guideline 201, static)

Page: 12/16

Version: 4.0

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 Date / Revised: 28.04.2014 Product: **PICO PRO.**

(ID no. 30513026/SDS_CPA_GB/EN)

Date of print 29.04.2014

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O): The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria).

Information on: picolinafen (ISO); 2-Pyridinecarboxamide, N-(4-fluorophenyl)-6-[3-(trifluoromethyl)phenoxy]-Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria).

12.3. Bioaccumulative potential

Assessment bioaccumulation potential: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine Bioaccumulation potential: Bioconcentration factor: 5,100 Based on a weight of evidence, the compound will not bioaccumulate.

Information on: picolinafen (ISO); 2-Pyridinecarboxamide, N-(4-fluorophenyl)-6-[3-(trifluoromethyl)phenoxy]-Bioaccumulation potential: Bioconcentration factor: 580 Accumulation in organisms is not to be expected.

12.4. Mobility in soil

Assessment transport between environmental compartments: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine Assessment transport between environmental compartments: The substance will slowly evaporate into the atmosphere from the water surface. Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: picolinafen (ISO); 2-Pyridinecarboxamide, N-(4-fluorophenyl)-6-[3-(trifluoromethyl)phenoxy]-Assessment transport between environmental compartments: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Page: 13/16

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 Date / Revised: 28.04.2014 Product: **PICO PRO.**

Version: 4.0

(ID no. 30513026/SDS_CPA_GB/EN) Date of print 29.04.2014

12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

12.7. Additional information

Other ecotoxicological advice: Do not discharge product into the environment without control.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Must be disposed of or incinerated in accordance with local regulations.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

Contaminated packaging: Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

SECTION 14: Transport Information

Land transport

ADR

UN number UN proper shipping name:	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PENDIMETHALIN)
Transport hazard class(es): Packing group:	
Environmental hazards:	yes
Special precautions for	Tunnel code: E
user:	

Page: 14/16

Version: 4.0

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 Date / Revised: 28.04.2014 Product: **PICO PRO.**

(ID no. 30513026/SDS_CPA_GB/EN)

Date of print 29.04.2014

RID

UN number UN proper shipping name:	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PENDIMETHALIN)
Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user:	9, EHSM III yes None known

Inland waterway transport ADN

ADN	
UN number	UN3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PENDIMETHALIN)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for	None known
user:	
Transport in inland waterway vessel:	Not evaluated

Sea transport

IMDG	
UN number: UN proper shipping name:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PENDIMETHALIN)
Transport hazard class(es): Packing group: Environmental hazards:	9, EHSM III yes Marine pollutant: YES
Special precautions for user:	None known

Air transport

IATA/ICAO	
UN number: UN proper shipping name:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PENDIMETHALIN)
Transport hazard class(es): Packing group:	9, EHSM III

Page: 15/16

Version: 4.0

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 Date / Revised: 28.04.2014 Product: **PICO PRO.**

(ID no. 30513026/SDS CPA GB/EN)

Date of print 29.04.2014

Environmental hazards: yes Special precautions for None known user:

14.1. UN number

See corresponding entries for "UN number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

Further information

This product is subject to the most recent edition of "The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations" and their amendments (United Kingdom).

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

For the user of this plant-protective product applies: 'To avoid risks to man and the environment, comply with the instructions for use.' (Directive 1999/45/EC, Article 10, No. 1.2)

Page: 16/16

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 Date / Revised: 28.04.2014 Product: **PICO PRO.**

Version: 4.0

(ID no. 30513026/SDS_CPA_GB/EN)

Date of print 29.04.2014

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

This product is classified under the Chemicals (Hazard Information and Packaging) Regulations, (CHIP) (United Kingdom).

This product may be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments if specific threshold tonnages are exceeded (United Kingdom).

15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

SECTION 16: Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Full text of the classifications, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, if mentioned in section 2 or 3:

Xi	Irritant.
Ν	Dangerous for the environment.
43	May cause sensitization by skin contact.
50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in
	the aquatic environment.
36/38	Irritating to eyes and skin.
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Skin Sens.	Skin sensitization
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H319	Causes serious eye irritation.
H315	Causes skin irritation.

If you have any queries relating to this MSDS, it's contents or any other product safety related questions, please write to the following e-mail address: product-safety-north@basf.com

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.