

# SAFETY DATA SHEET

**DOW AGROSCIENCES LIMITED**

Safety Data Sheet according to Reg. (EU) No 2015/830

**Product name: PIXXARO™ EC Herbicide**

**Revision Date: 31.03.2016**

**Version: 2.0**

**Print Date: 31.03.2016**

---

DOW AGROSCIENCES LIMITED encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

---

## SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

---

### 1.1 Product identifier

**Product name:** PIXXARO™ EC Herbicide

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** Plant Protection Product

### 1.3 Details of the supplier of the safety data sheet

#### COMPANY IDENTIFICATION

DOW AGROSCIENCES LIMITED

LATCHMORE COURT

BRAND STREET

HITCHIN

England

SG5 1NH

UNITED KINGDOM

**Customer Information Number:**

SDSQuestion@dow.com

### 1.4 EMERGENCY TELEPHONE NUMBER

**24-Hour Emergency Contact:** 0031 115 694 982

**Local Emergency Contact:** 00 31 115 69 4982

---

## SECTION 2. HAZARDS IDENTIFICATION

---

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008:

Eye irritation - Category 2 - H319

Skin sensitisation - Sub-category 1B - H317

Specific target organ toxicity - single exposure - Category 3 - Inhalation - H335

Acute aquatic toxicity - Category 1 - H400

Chronic aquatic toxicity - Category 1 - H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008:

### Hazard pictograms



**Signal word: WARNING**

### Hazard statements

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H410	Very toxic to aquatic life with long lasting effects.

### Precautionary statements

P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P302 + P352	IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

### Supplemental information

EUH401	To avoid risks to human health and the environment, comply with the instructions for use.
--------	---

**Contains** Cloquintocet-mexyl

## 2.3 Other hazards

No data available

---

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

---

### 3.2 Mixtures

This product is a mixture.

CASRN / EC-No. / Index-No.	REACH Registration Number	Concentration	Component	Classification: REGULATION (EC) No 1272/2008
<b>CASRN</b> 81406-37-3 <b>EC-No.</b> 279-752-9 <b>Index-No.</b> 607-272-00-5	—	38.9%	fluoroxypyr-meptyl (ISO)	Aquatic Acute - 1 - H400 Aquatic Chronic - 1 - H410
<b>CASRN</b> 943831-98-9 <b>EC-No.</b> Not available <b>Index-No.</b> —	—	1.21%	Halauxifen-methyl	Aquatic Acute - 1 - H400 Aquatic Chronic - 1 - H410
<b>CASRN</b> 99607-70-2 <b>EC-No.</b> Not available <b>Index-No.</b> —	01-2119387592-28 01-2119401416-51 01-2119403579-35	1.12%	Cloquintocet-mexyl	Skin Sens. - 1 - H317 Aquatic Acute - 1 - H400 Aquatic Chronic - 1 - H410
<b>CASRN</b> 1118-92-9 <b>EC-No.</b> 214-272-5 <b>Index-No.</b> —	—	> 30.0 - < 40.0 %	N,N- Dimethyloctanamid e	Skin Irrit. - 2 - H315 Eye Dam. - 1 - H318
<b>CASRN</b> 14433-76-2 <b>EC-No.</b> 238-405-1 <b>Index-No.</b> —	01-2119485027-36	30.0 - < 40.0 %	N,N- Dimethyldecan-1- amide	Skin Irrit. - 2 - H315 Eye Irrit. - 2 - H319 STOT SE - 3 - H335 Aquatic Chronic - 2 - H411
<b>CASRN</b> 104-76-7 <b>EC-No.</b> 203-234-3 <b>Index-No.</b> —	01-2119487289-20	< 5.0 %	Ethylhexanol	Acute Tox. - 4 - H332 Skin Irrit. - 2 - H315 Eye Irrit. - 2 - H319 STOT SE - 3 - H335

<b>CASRN</b> Not available <b>EC-No.</b> - <b>Index-No.</b> -		< 5.0 %	Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt	Skin Irrit. - 2 - H315 Eye Dam. - 1 - H318 Aquatic Chronic - 3 - H412
<b>CASRN</b> 872-50-4 <b>EC-No.</b> 212-828-1 <b>Index-No.</b> 606-021-00-7	01-2119472430-46	< 1.0 %	N-methyl-2-pyrrolidone	Skin Irrit. - 2 - H315 Eye Irrit. - 2 - H319 Repr. - 1B - H360D STOT SE - 3 - H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

**Inhalation:** Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.

**Skin contact:** Take off contaminated clothing. Wash skin with soap and plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Wash clothing before reuse. Shoes and other leather items which cannot be decontaminated should be disposed of properly. Suitable emergency safety shower facility should be available in work area.

**Eye contact:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice. Suitable emergency eye wash facility should be available in work area.

**Ingestion:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Never give anything by mouth to an unconscious person.

**4.2 Most important symptoms and effects, both acute and delayed:** Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

### 4.3 Indication of any immediate medical attention and special treatment needed

**Notes to physician:** No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

---

## SECTION 5. FIREFIGHTING MEASURES

---

### 5.1 Extinguishing media

**Suitable extinguishing media:** Water fog or fine spray. Dry chemical fire extinguishers. Carbon dioxide fire extinguishers. Foam. Do not use direct water stream. May spread fire. Alcohol resistant foams (ATC type) are preferred. General purpose synthetic foams (including AFFF) or protein foams may function, but will be less effective.

**Unsuitable extinguishing media:** No data available

### 5.2 Special hazards arising from the substance or mixture

**Hazardous combustion products:** During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to: Sulfur oxides. Nitrogen oxides. Hydrogen fluoride. Hydrogen chloride. Carbon monoxide. Carbon dioxide.

**Unusual Fire and Explosion Hazards:** Violent steam generation or eruption may occur upon application of direct water stream to hot liquids.

### 5.3 Advice for firefighters

**Fire Fighting Procedures:** Keep people away. Isolate fire and deny unnecessary entry. Consider feasibility of a controlled burn to minimize environment damage. Foam fire extinguishing system is preferred because uncontrolled water can spread possible contamination. Burning liquids may be extinguished by dilution with water. Do not use direct water stream. May spread fire. Burning liquids may be moved by flushing with water to protect personnel and minimize property damage. Avoid accumulation of water. Product may be carried across water surface spreading fire or contacting an ignition source.

**Special protective equipment for firefighters:** Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

---

**6.1 Personal precautions, protective equipment and emergency procedures:** Isolate area. Refer to section 7, Handling, for additional precautionary measures. Keep unnecessary and unprotected personnel from entering the area. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

**6.2 Environmental precautions:** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. Spills or discharge to natural waterways is likely to kill aquatic organisms.

**6.3 Methods and materials for containment and cleaning up:** Contain spilled material if possible. Small spills: Absorb with materials such as: Clay. Dirt. Sand. Sweep up. Collect in suitable and properly labeled containers. Large spills: Contact Dow AgroSciences for clean-up assistance.

**6.4 Reference to other sections:** References to other sections, if applicable, have been provided in the previous sub-sections.

---

## SECTION 7. HANDLING AND STORAGE

---

**7.1 Precautions for safe handling:** Keep out of reach of children. Avoid prolonged or repeated contact with skin. Avoid contact with eyes, skin, and clothing. Do not swallow. Avoid breathing vapor or mist. Wash thoroughly after handling. Use with adequate ventilation. See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.

**7.2 Conditions for safe storage, including any incompatibilities:** Store in a dry place. Store in original container. Keep container tightly closed. Do not store near food, foodstuffs, drugs or potable water supplies.

**7.3 Specific end use(s):** Refer to product label.

---

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

### 8.1 Control parameters

Exposure limits are listed below, if they exist.

Component	Regulation	Type of listing	Value/Notation
fluoroxypyr-meptyl (ISO)	Dow IHG	TWA	10 mg/m <sup>3</sup>
Ethylhexanol	Dow IHG	TWA	2 ppm
	Dow IHG	TWA	SKIN
N-methyl-2-pyrrolidone	US WEEL	TWA	10 ppm
	US WEEL	TWA	SKIN
	2009/161/EU	TWA	40 mg/m <sup>3</sup> 10 ppm
	2009/161/EU	STEL	80 mg/m <sup>3</sup> 20 ppm
	GB EH40	TWA	SKIN
	GB EH40	STEL	SKIN
	GB EH40	TWA	40 mg/m <sup>3</sup> 10 ppm
	GB EH40	STEL	80 mg/m <sup>3</sup> 20 ppm
	2009/161/EU	TWA	SKIN
	2009/161/EU	STEL	SKIN

RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

### 8.2 Exposure controls

**Engineering controls:** Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

#### Individual protection measures

**Eye/face protection:** Use chemical goggles. Chemical goggles should be consistent with EN 166 or equivalent.

#### Skin protection

**Hand protection:** Use chemical resistant gloves classified under Standard EN374: Protective gloves against chemicals and micro-organisms. Examples of preferred glove barrier materials include: Butyl rubber. Chlorinated polyethylene. Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Examples of acceptable glove barrier materials

include: Natural rubber ("latex"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl"). Viton. When prolonged or frequently repeated contact may occur, a glove with a protection class of 5 or higher (breakthrough time greater than 240 minutes according to EN 374) is recommended. When only brief contact is expected, a glove with a protection class of 3 or higher (breakthrough time greater than 60 minutes according to EN 374) is recommended. Glove thickness alone is not a good indicator of the level of protection a glove provides against a chemical substance as this level of protection is also highly dependent on the specific composition of the material that the glove is fabricated from. The thickness of the glove must, depending on model and type of material, generally be more than 0.35 mm to offer sufficient protection for prolonged and frequent contact with the substance. As an exception to this general rule it is known that multilayer laminate gloves may offer prolonged protection at thicknesses less than 0.35 mm. Other glove materials with a thickness of less than 0.35 mm may offer sufficient protection when only brief contact is expected. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

**Other protection:** Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

**Respiratory protection:** Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator. Use the following CE approved air-purifying respirator: Organic vapor cartridge with a particulate pre-filter, type AP2.

### Environmental exposure controls

See SECTION 7: Handling and storage and SECTION 13: Disposal considerations for measures to prevent excessive environmental exposure during use and waste disposal.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

---

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	Liquid.
Color	Yellow
Odor	Mild
Odor Threshold	No data available
pH	5.16 <i>pH Electrode</i> 1% Aqueous solution
Melting point/range	No data available
Freezing point	No data available
Boiling point (760 mmHg)	No data available
Flash point	<b>Pensky-Martens closed cup</b> > 100 °C

---

Evaporation Rate (Butyl Acetate = 1)	No data available
Flammability (solid, gas)	No data available
Lower explosion limit	No data available
Upper explosion limit	No data available
Vapor Pressure	No data available
Relative Vapor Density (air = 1)	No data available
Relative Density (water = 1)	1.04
Water solubility	No data available
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	350 °C
Decomposition temperature	No data available
Dynamic Viscosity	58.7 mPa.s at 20 °C
Kinematic Viscosity	No data available
Explosive properties	Not explosive
Oxidizing properties	No significant increase (>5C) in temperature.

#### 9.2 Other information

Liquid Density	1.04 g/cm <sup>3</sup> at 20 °C
Molecular weight	No data available
Surface tension	29.5 mN/m at 25 °C

NOTE: The physical data presented above are typical values and should not be construed as a specification.

---

## SECTION 10. STABILITY AND REACTIVITY

---

**10.1 Reactivity:** No dangerous reaction known under conditions of normal use.

**10.2 Chemical stability:** Thermally stable at recommended temperatures and pressures.

**10.3 Possibility of hazardous reactions:** Polymerization will not occur.

**10.4 Conditions to avoid:** Exposure to elevated temperatures can cause product to decompose.

**10.5 Incompatible materials:** Avoid contact with: Strong acids. Strong bases. Strong oxidizers.

**10.6 Hazardous decomposition products:** Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Carbon dioxide. Hydrogen chloride. Hydrogen fluoride. Nitrogen oxides. Sulfur oxides.

---

## SECTION 11. TOXICOLOGICAL INFORMATION

---

*Toxicological information appears in this section when such data is available.*

## 11.1 Information on toxicological effects

### Acute toxicity

#### Acute oral toxicity

Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause injury. Low toxicity if swallowed.

LD50, Rat, female, > 2,000 mg/kg

#### Acute dermal toxicity

Prolonged skin contact is unlikely to result in absorption of harmful amounts.

LD50 Dermal, Rat, male and female, > 5,000 mg/kg OECD Test Guideline 402 No deaths occurred at this concentration.

#### Acute inhalation toxicity

No adverse effects are anticipated from single exposure to mist. Excessive exposure may cause irritation to upper respiratory tract (nose and throat).

LC50, Rat, male and female, 4 Hour, dust/mist, > 5.80 mg/l OECD Test Guideline 403 No deaths occurred at this concentration.

### Skin corrosion/irritation

Brief contact may cause slight skin irritation with local redness.

### Serious eye damage/eye irritation

May cause moderate eye irritation.

May cause slight temporary corneal injury.

### Sensitization

Has demonstrated the potential for contact allergy in mice.

### Specific Target Organ Systemic Toxicity (Single Exposure)

May cause respiratory irritation.

Route of Exposure: Inhalation

### Specific Target Organ Systemic Toxicity (Repeated Exposure)

For the active ingredient(s):

Cloquintocet-mexyl.

Halauxifen-methyl

In animals, effects have been reported on the following organs:

Liver.

Kidney.

Thymus.

Thyroid.

Bladder.

Bone marrow.

For the active ingredient(s):

Fluroxypyr 1-methylheptyl ester.

Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

Contains component(s) which have been reported to cause effects on the following organs in animals:

Kidney.

Eye.

Blood.

Liver.

Spleen.

### **Carcinogenicity**

For similar active ingredient(s): Fluroxypyr. Halauxifen. For the active ingredient(s): Cloquintocet-mexyl. For the major component(s): Did not cause cancer in laboratory animals. For the minor component(s): In laboratory animals, evidence of carcinogenic activity was observed. The observed tumors do not appear to be relevant for men.

### **Teratogenicity**

For the active ingredient(s): Fluroxypyr-meptyl. Halauxifen-methyl For the major component(s): Has been toxic to the fetus in laboratory animals at doses toxic to the mother. Did not cause birth defects in laboratory animals.

For the minor component(s): Has caused birth defects in laboratory animals only at doses toxic to the mother. Has been toxic to the fetus in laboratory animals at doses toxic to the mother. These concentrations exceed relevant human dose levels. N-methyl pyrrolidone has caused toxic effects to the fetus in laboratory animals at high dose levels with either mild or undetectable maternal toxicity.

### **Reproductive toxicity**

For the active ingredient(s): Fluroxypyr-meptyl. For similar active ingredient(s): Halauxifen. In animal studies, did not interfere with reproduction.

### **Mutagenicity**

For the active ingredient(s): For the major component(s): In vitro genetic toxicity studies were negative. Animal genetic toxicity studies were negative.

### **Aspiration Hazard**

Based on physical properties, not likely to be an aspiration hazard.

---

## **SECTION 12. ECOLOGICAL INFORMATION**

---

*Ecotoxicological information appears in this section when such data is available.*

### **12.1 Toxicity**

#### **Acute toxicity to fish**

Material is very toxic to aquatic organisms (LC50/EC50/IC50 below 1 mg/L in the most sensitive species).

LC50, *Oncorhynchus mykiss* (rainbow trout), semi-static test, 96 Hour, 12.2 mg/l, OECD Test Guideline 203

#### **Acute toxicity to aquatic invertebrates**

EC50, *Daphnia magna* (Water flea), semi-static test, 48 Hour, 15 mg/l, OECD Test Guideline 202

**Acute toxicity to algae/aquatic plants**

ErC50, Myriophyllum spicatum, Growth inhibition, 14 d, Growth inhibition, 0.0235 mg/l

EC50, Pseudokirchneriella subcapitata (green algae), 72 Hour, 0.166 mg/l

**Toxicity to Above Ground Organisms**

Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg).

oral LD50, Colinus virginianus (Bobwhite quail), > 2000mg/kg bodyweight.

contact LD50, Apis mellifera (bees), 48 Hour, > 200.0µg/bee

oral LD50, Apis mellifera (bees), 48 Hour, > 191.0µg/bee

**Toxicity to soil-dwelling organisms**

LC50, Eisenia fetida (earthworms), 14 d, > 1,000 mg/kg

NOEC, Eisenia fetida (earthworms), 56 day, 80 mg/kg

**12.2 Persistence and degradability****fluoroxypyr-meptyl (ISO)**

**Biodegradability:** Material is not readily biodegradable according to OECD/EEC guidelines.

10-day Window: Fail

**Biodegradation:** 32 %

**Exposure time:** 28 d

**Method:** OECD Test Guideline 301D or Equivalent

**Theoretical Oxygen Demand:** 2.2 mg/mg

**Stability in Water (1/2-life)**

Hydrolysis, half-life, 454 d

**Halauxifen-methyl**

**Biodegradability:** For similar active ingredient(s). Halauxifen. Material is expected to biodegrade very slowly (in the environment). Fails to pass OECD/EEC tests for ready biodegradability.

10-day Window: Not applicable

**Biodegradation:** 7.7 %

**Exposure time:** 28 d

**Method:** OECD Test Guideline 310 or Equivalent

**Cloquintocet-mexyl**

**Biodegradability:** No relevant data found.

**N,N-Dimethyloctanamide**

**Biodegradability:** Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

10-day Window: Pass

**Biodegradation:** > 80 %

**Exposure time:** 28 d  
**Method:** OECD Test Guideline 301F or Equivalent

**N,N-Dimethyldecan-1-amide**

**Biodegradability:** Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.  
10-day Window: Pass  
**Biodegradation:** 66.12 %  
**Exposure time:** 11 d  
**Method:** OECD Test Guideline 301B or Equivalent

**Ethylhexanol**

**Biodegradability:** Material is readily biodegradable. Passes OECD test(s) for ready biodegradability. Material is ultimately biodegradable (reaches > 70% mineralization in OECD test(s) for inherent biodegradability).  
10-day Window: Not applicable  
**Biodegradation:** > 95 %  
**Exposure time:** 5 d  
**Method:** OECD Test Guideline 302B or Equivalent  
10-day Window: Pass  
**Biodegradation:** 68 %  
**Exposure time:** 17 d  
**Method:** OECD Test Guideline 301B or Equivalent

**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt**

**Biodegradability:** Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.  
10-day Window: Pass  
**Biodegradation:** 100 %  
**Exposure time:** 28 d  
**Method:** OECD Test Guideline 301B or Equivalent

**N-methyl-2-pyrrolidone**

**Biodegradability:** Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.  
10-day Window: Pass  
**Biodegradation:** 91 %  
**Exposure time:** 28 d  
**Method:** OECD Test Guideline 301B or Equivalent  
10-day Window: Not applicable  
**Biodegradation:** 73 %  
**Exposure time:** 28 d  
**Method:** OECD Test Guideline 301C or Equivalent  
10-day Window: Not applicable  
**Biodegradation:** > 90 %  
**Exposure time:** 8 d  
**Method:** OECD Test Guideline 302B or Equivalent

**12.3 Bioaccumulative potential**

**fluoroxypyr-meptyl (ISO)**

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3).  
**Partition coefficient: n-octanol/water(log Pow):** 5.04 Measured  
**Bioconcentration factor (BCF):** 26 Oncorhynchus mykiss (rainbow trout) Measured

#### Halauxifen-methyl

**Bioaccumulation:** Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).  
**Partition coefficient: n-octanol/water(log Pow):** 3.76  
**Bioconcentration factor (BCF):** 233 Lepomis macrochirus (Bluegill sunfish) 42 d

#### Cloquintocet-mexyl

**Bioaccumulation:** Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).  
**Partition coefficient: n-octanol/water(log Pow):** 5.3 Estimated.  
**Bioconcentration factor (BCF):** 122 - 621 Fish

#### N,N-Dimethyloctanamide

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3).  
**Partition coefficient: n-octanol/water(log Pow):** 2.59 at 23 °C

#### N,N-Dimethyldecan-1-amide

**Bioaccumulation:** Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).  
**Partition coefficient: n-octanol/water(log Pow):** 3.44 Estimated.

#### Ethylhexanol

**Bioaccumulation:** Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).  
**Partition coefficient: n-octanol/water(log Pow):** 3.1 Measured

#### Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt

**Bioaccumulation:** Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).  
**Partition coefficient: n-octanol/water(log Pow):** 2.89  
**Bioconcentration factor (BCF):** 2 - 1,000

#### N-methyl-2-pyrrolidone

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3).  
**Partition coefficient: n-octanol/water(log Pow):** -0.38 Measured

### 12.4 Mobility in soil

#### fluoroxypyr-meptyl (ISO)

Expected to be relatively immobile in soil (Koc > 5000).  
**Partition coefficient(Koc):** 6200 - 43000

#### Halauxifen-methyl

Expected to be relatively immobile in soil (Koc > 5000).  
**Partition coefficient(Koc):** 5684

#### Cloquintocet-mexyl

Expected to be relatively immobile in soil (Koc > 5000).  
**Partition coefficient(Koc):** 38070 Estimated.

**N,N-Dimethyloctanamide**

No relevant data found.

**N,N-Dimethyldecan-1-amide**

Potential for mobility in soil is medium (Koc between 150 and 500).

**Partition coefficient(Koc):** 351 - 630

**Ethylhexanol**

Potential for mobility in soil is low (Koc between 500 and 2000).

**Partition coefficient(Koc):** 800 Estimated.

**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt**

No relevant data found.

**N-methyl-2-pyrrolidone**

Potential for mobility in soil is very high (Koc between 0 and 50).

Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process.

**Partition coefficient(Koc):** 21 Estimated.

**12.5 Results of PBT and vPvB assessment****fluoroxypyr-meptyl (ISO)**

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

**Halauxifen-methyl**

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

**Cloquintocet-mexyl**

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

**N,N-Dimethyloctanamide**

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

**N,N-Dimethyldecan-1-amide**

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

**Ethylhexanol**

This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt**

This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

**N-methyl-2-pyrrolidone**

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

## 12.6 Other adverse effects

### fluoroxypyr-meptyl (ISO)

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

### Halauxifen-methyl

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

### Cloquintocet-mexyl

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

### N,N-Dimethyloctanamide

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

### N,N-Dimethyldecan-1-amide

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

### Ethylhexanol

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

### Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

### N-methyl-2-pyrrolidone

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

---

### 13.1 Waste treatment methods

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

The definitive assignment of this material to the appropriate EWC group and thus its proper EWC code will depend on the use that is made of this material. Contact the authorized waste disposal services.

---

## SECTION 14. TRANSPORT INFORMATION

---

### Classification for ROAD and Rail transport (ADR/RID):

14.1 UN number	UN 3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Fluroxypyr, Halauxifen-methyl)

---

14.3 Class	9
14.4 Packing group	III
14.5 Environmental hazards	Fluroxypyr, Halauxifen-methyl
14.6 Special precautions for user	Hazard Identification Number: 90

**Classification for SEA transport (IMO-IMDG):**

14.1 UN number	UN 3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Fluroxypyr, Halauxifen-methyl)
14.3 Class	9
14.4 Packing group	III
14.5 Environmental hazards	Fluroxypyr, Halauxifen-methyl
14.6 Special precautions for user	EmS: F-A, S-F
14.7 Transport in bulk according to Annex I or II of MARPOL 73/78 and the IBC or IGC Code	Consult IMO regulations before transporting ocean bulk

**Classification for AIR transport (IATA/ICAO):**

14.1 UN number	UN 3082
14.2 Proper shipping name	Environmentally hazardous substance, liquid, n.o.s.(Fluroxypyr, Halauxifen-methyl)
14.3 Class	9
14.4 Packing group	III
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	No data available.

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

---

**SECTION 15. REGULATORY INFORMATION**

---

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****REACH Regulation (EC) No 1907/2006**

This product contains only components that have been either pre-registered, registered, are exempt from registration, are regarded as registered or are not subject to registration according to Regulation (EC) No. 1907/2006 (REACH). The aforementioned indications of the REACH registration status are provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. It is the buyer's/user's responsibility to ensure that his/her understanding of the regulatory status of this product is correct.

**Restrictions on the manufacture, placing on the market and use:**

The following substance/s contained in this product is/are subject through Annex XVII of REACH regulation to restrictions on the manufacture, placing on the market and use when present in certain dangerous substances, mixtures and articles. Users of this product have to comply with the restrictions placed upon it by the aforementioned provision.

CAS-No.: 872-50-4	Name: N-methyl-2-pyrrolidone
-------------------	------------------------------

Restriction status: listed in REACH Annex XVII

Restricted uses: See Annex XVII to Regulation (EC) no 1907/2006 for Conditions of restriction

**Authorisation status under REACH:**

The following substance/s contained in this product might be or is/are subject to authorization in accordance with REACH:

CAS-No.: 872-50-4	Name: N-methyl-2-pyrrolidone
-------------------	------------------------------

Authorisation status: listed in the Candidate List of Substances of Very High Concern for Authorisation

Authorisation number: Not available

Sunset date: Not available

Exempted (Categories of) Uses: Not available

**Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.**

Listed in Regulation: ENVIRONMENTAL HAZARDS

Number in Regulation: E1

100 t

200 t

**Other regulations**

Registration Number: MAPP 17545

**15.2 Chemical safety assessment**

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

---

**SECTION 16. OTHER INFORMATION**

---

**Full text of H-Statements referred to under sections 2 and 3.**

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H360D	May damage the unborn child.

H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008

Eye Irrit. - 2 - H319 - On basis of test data.

Skin Sens. - 1B - H317 - On basis of test data.

|| STOT SE - 3 - H335 - Calculation method

Aquatic Acute - 1 - H400 - On basis of test data.

Aquatic Chronic - 1 - H410 - Calculation method

### Revision

Identification Number: 101293701 / A293 / Issue Date: 31.03.2016 / Version: 2.0

DAS Code: GF-2819

Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

### Legend

2009/161/EU	Europe. COMMISSION DIRECTIVE 2009/161/EU establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC
Dow IHG	Dow Industrial Hygiene Guideline
GB EH40	UK. EH40 WEL - Workplace Exposure Limits
SKIN	Absorbed via skin
STEL	Short-term exposure limit (15-minute reference period)
TWA	Time weighted average
US WEEL	USA. Workplace Environmental Exposure Levels (WEEL)

### Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

DOW AGROSCIENCES LIMITED urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.