PRIORI XTRA

FUNGICIDE

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY OR UNDERTAKING

IDENTIFICATION OF THE SUBSTANCE OR PREPARATION

Tradename	PRIORI XTRA
Design Code	A12910C
AGI Code	10712

COMPANY IDENTIFICATION

Company	Syngenta Crop Protection UK Ltd		
	CPC4, Capital Park, Fulbourn, Cambridge CB21 5XE		
	Phone	(01223) 883400	
	Fax	(01223) 882195	
	Website	www.syngenta-crop.co.uk	
Emergency Phone	+44 (0)14	184 538444 (24h)	

2. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS COMPONENTS

CAS-NO.	CHEMICAL NAME	CONCENTRATION (% W/V)	HAZARD SYMBOLS	RISK PHRASES (R)
131860-33-8	azoxystrobin	18.2	T, N	23, 50/53
94361-06-5	cyproconazole	7.3	Xn,N	22, 50/53, 63
68439-49-6	alcohols, C16-18, ethoxylated	20–30	Xn	22, 36
9008-63-3	naphthalenesulphonic acid, sodium salt, polymer with formaldehyde	0–5	Xi	36/38

For the full text of the R phrases mentioned in this section, see section 16.

3. HAZARDS IDENTIFICATION

Harmful if swallowed. Possible risk of harm to the unborn child. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

4. FIRST AID MEASURES

General advice: Have the product container, label or Material Safety Data Sheet with you when calling the Syngenta emergency number, a Poison Control Centre or physician, or going for treatment.

Inhalation: Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Keep patient warm and at rest. Call a physician or Poison Control Centre immediately.

Skin contact: Take off all contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.

PRIORI XTRA

SAFETY DATA

FUNGICIDE

Ingestion: If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting.

Medical advice: There is no specific antidote available. Treat symptomatically.

5. FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA:

Extinguishing media – small fires: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Extinguishing media - large fires: Use alcohol-resistant foam or water spray.

Extinguishing media which must not be used for safety reasons: Do not use a solid water stream as it may scatter and spread fire.

Specific hazards during fire fighting: As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10). Exposure to decomposition products may be a hazard to health.

Special protective equipment for fire fighters: In the event of fire, wear self-contained breathing apparatus.

Further information: Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Refer to protective measures listed in sections 7 and 8.

Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system.

Methods for cleaning up: Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/national regulations (see section 13).

Additional advice: If the product contaminates rivers and lakes or drains inform respective authorities.

7. HANDLING AND STORAGE

HANDLING

Advice on safe handling: No special technical protective measures required. No special handling advice required. Avoid contact with skin and eyes. When using, do not eat, drink or smoke. For personal protection see section 8.

STORAGE

Requirements for storage areas and containers: No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feed.

Other data: Physically and chemically stable for at least 2 years when stored in the original unopened sales container at ambient temperatures.

PRIORI XTRA

FUNGICIDE

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS			
Components	Exposure limit(s)	Value type	Source
azoxystrobin	2 mg/m ³	8 h TWA	SYNGENTA
cyproconazole	0.5 mg/m ³	8 h TWA	SYNGENTA

ENGINEERING MEASURES

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the actual risks in use. If airborne mists or vapours are generated, use local exhaust ventilation controls. Assess exposure and use any additional measures to keep airborne levels below any relevant exposure limit. Where necessary, seek additional occupational hygiene advice.

PERSONAL PROTECTIVE EQUIPMENT

When using this product refer to the label for details. In all other cases, use the following Personal Protective Equipment:

Protective measures: The use of technical measures should always have priority over the use of personal protective equipment. When selecting personal protective equipment, seek appropriate professional advice. Personal protective equipment should be certified to appropriate standards.

Respiratory protection: A particulate filter respirator may be necessary until effective technical measures are installed. Protection provided by air-purifying respirators is limited. Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.

Hand protection: Chemical resistant gloves should be used. Gloves should be certified to an appropriate standard. Gloves should have a minimum breakthrough time that is appropriate to the duration of exposure. The breakthrough time of gloves varies according to the thickness, material and manufacturer. Gloves should be changed when breakthrough is suspected. Suitable material: nitrile rubber.

Eye protection: Eye protection is not usually required. Follow any site specific eye protection policies. Eye/face protection should be certified to EN 166.

Skin and body protection: Assess the exposure and select chemical resistant clothing based on the potential for contact and the permeation/penetration characteristics of the clothing material. Wash with soap and water after removing protective clothing. Decontaminate clothing before re-use, or use disposable equipment (suits, aprons, sleeves, boots, etc.).Wear as appropriate: impervious protective suit.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form: Colour: Odour: Boiling Point/range: Flash Point: Water Solubility: Oxidising Properties: Explosive Properties: Density: Suspension. Light yellow to yellow. Sweetish. ca.100°C at 1,013 hPa >100°C Miscible. Non-oxidising. Non-explosive. 1.1 g/ml at 20°C.

FUNGICIDE

pH:	5–9 a
Dynamic Viscosity:	203–8
Dynamic Viscosity:	124-0
Surface Tension:	29.4

5–9 at 1% w/v 203–855 mPa.s at 20°C 124–657 mPa.s at 40°C 29.4 mN/m at 20°C

10. STABILITY AND REACTIVITY

Hazardous decomposition products: Combustion or thermal decomposition will evolve toxic and irritant vapours.

Hazardous reactions: None known. Hazardous polymerisation does not occur. Stable under normal conditions.

11. TOXICOLOGICAL INFORMATION

Acute Oral Toxicity LD₅₀: >2000 mg/kg male rats.

500 to 2000 mg/kg female rats.

Acute inhalation toxicity: LC₅₀ male and female rat, >2.58 mg/l, 4 h

Acute Dermal Toxicity LD₅₀: >5000 mg/kg rat (both genders).

Acute Skin Irritation: Slight irritation (rabbit).

Acute Eye Irritation: Mildly irritating (rabbit).

Sensitisation: Buehler Test Guinea pig: Not a skin sensitiser in animal tests.

LONG-TERM TOXICITY: Did not show mutagenic effects in animal experiments. Did not show carcinogenic effects in animal experiments. Maternal and foetal toxicity were observed at high dose levels in studies on rats. This information applies to cyproconazole. No adverse effects in humans are expected at levels below the occupational exposure limit and when the product is handled and used according to the label.

12. ECOLOGICAL INFORMATION

Bioaccumulation: Azoxystrobin has medium potential for bioaccumulation. Cyproconazole does not bioaccumulate.

Stability in water: Azoxystrobin is stable in water. Cyproconazole is persistent in water.

Stability in soil: Azoxystrobin is moderately persistent in soil. Cyproconazole is moderately to very persistent in soil.

Mobility: Azoxystrobin has moderate mobility in soil. Cyproconazole has low to medium mobility in soil.

ECOTOXICITY EFFECTS

Toxicity to Fish LC_{so}: 1.8 mg/l (Rainbow trout; 96 h) Toxicity to Algae EbC_{so}: 0.478 mg/l (*Pseudokirchneriella subcapitata* (green algae); 72 h) Toxicity to Algae ErC_{so}: 3.87 mg/l (*Pseudokirchneriella subcapitata* (green algae); 72 h) Toxicity to Aquatic Invertebrates EC_{so}: 1.2 mg/l (*Daphnia magna* (water flea); 48 h)

13. DISPOSAL CONSIDERATIONS

Product: Do not contaminate ponds, waterways or ditches with chemical or used container. Do not dispose of waste into sewer. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations.

SAFETY DATA

PRIORI XTRA

FUNGICIDE

Contaminated packaging: Empty remaining contents. Triple rinse containers. Empty containers should be taken for local recycling or waste disposal. Do not re-use empty containers.

14. TRANSPORT INFORMATION

RAIL/ROAD/SEA/AIR (RID/ADR/IMDG/IATA)	Class 9	UN no. 3082	Packaging Group III
Proper Shipping Name:		NMENTALI STROBIN)	LY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.,
Marine pollutant:	Yes		

15. REGULATORY INFORMATION

Classifications/ Hazard symbols	N Xn	DANGEROUS FOR THE ENVIRONMENT. HARMFUL.
Risk phrases (R)	22	Harmful if swallowed.
	50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
	63	Possible risk of harm to the unborn child.
Safety phrases (S)	2	Keep out of the reach of children.
	13	Keep away from food, drink and animal feeding stuffs.
	20/21	When using do not eat, drink or smoke.
	35	This material and its container must be disposed of in a safe way.
	36/37	Wear suitable protective clothing and gloves.
	57	Use appropriate containment to avoid environmental contamination.
Special label	To avoid risks to man and the environment, comply with the instructions for use.	

This preparation is covered by the EEC Dangerous Preparations Directive. It has therefore been labelled in accordance with these regulations. Users should ensure that they comply with any relevant local, state or national legislation.

16. OTHER INFORMATION

Always read the label. Use pesticides safely.

Based upon SDS date of issue: 22/02/2008, Version 4.

Product approval number: MAPP 11518

Text of R phrases mentioned in Section 2:

R22 Harmful if swallowed.

R23 Toxic by inhalation.

R36 Irritating to eyes.

R36/38 Irritating to eyes and skin.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R63 Possible risk of harm to the unborn child.

FUNGICIDE

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.