

### Safety data sheet

Page: 1/17

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 04.09.2014 Version: 6.0

Product: SUNORG PRO

(ID no. 30268006/SDS\_CPA\_GB/EN)

Date of print 06.09.2014

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

#### SUNORG PRO

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, fungicide

#### 1.3. Details of the supplier of the safety data sheet

Company: BASF SE 67056 Ludwigshafen GERMANY Contact address:
BASF plc
PO Box 4, Earl Road, Cheadle Hulme,
Cheadle, Cheshire
SK8 6QG, UNITED KINGDOM

Telephone: +44 161 485-6222

E-mail address: product-safety-north@basf.com

#### 1.4. Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

#### **SECTION 2: Hazards Identification**

#### 2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

Eye Dam./Irrit. 2 Repr. 2 (unborn child) STOT RE (Kidney) 2

Date / Revised: 04.09.2014 Version: 6.0

Product: SUNORG PRO

(ID no. 30268006/SDS CPA GB/EN)

Date of print 06.09.2014

#### Aquatic Chronic 2

#### According to Directive 67/548/EEC or 1999/45/EC

Repr. Cat. 3

#### Possible Hazards:

Irritating to eyes.

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Possible risk of harm to the unborn child.

For the classifications not written out in full in this section the full text can be found in section 16.

#### 2.2. Label elements

#### According to Regulation (EC) No 1272/2008 [CLP]

Pictogram:







#### Signal Word: Warning

#### Hazard Statement:

H319 Causes serious eye irritation.

Suspected of damaging the unborn child. H361d

May cause damage to organs through prolonged or repeated exposure. H373

H411 Toxic to aquatic life with long lasting effects.

**EUH401** To avoid risks to human health and the environment, comply with the

instructions for use.

#### Precautionary Statements (Prevention):

P202 Do not handle until all safety precautions have been read and

understood.

P260 Do not breathe mist or vapour.

P264 Wash contaminated body parts thoroughly after handling.

P280 Wear protective gloves/clothing/eye protection.

#### Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P308 + P311 IF exposed or concerned: Call a POISON CENTER or doctor/physician. P337 + P311 If eye irritation persists: Call a POISON CENTER or doctor/physician.

P391 Collect spillage.

#### Precautionary Statements (Storage):

Date / Revised: 04.09.2014 Version: 6.0

Product: **SUNORG PRO** 

(ID no. 30268006/SDS\_CPA\_GB/EN)

Date of print 06.09.2014

P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to a licensed hazardous-waste disposal

contractor or collection site except for empty clean containers which can

be disposed of as non-hazardous waste.

#### According to Regulation (EC) No 1272/2008 [CLP]

Hazard determining component(s) for labelling: METCONAZOLE, ALCOHOLS, C6/C12, ETHOXYLATED, DIETHYLENE GLYCOL

#### According to Directive 67/548/EEC or 1999/45/EC

Classification/labelling in accordance with UK regulations.

Hazard symbol(s)

Xn Harmful.

N Dangerous for the environment.



R-phrase(s)

R36 Irritating to eyes.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

R63 Possible risk of harm to the unborn child.

S-phrase(s)

S2 Keep out of the reach of children.

S13 Keep away from food, drink and animal feeding stuffs.

S20/21 When using do not eat, drink or smoke.

S35 This material and its container must be disposed of in a safe way.

S36/37 Wear suitable protective clothing and gloves.

S46 If swallowed, seek medical advice immediately and show this container

or label.

S57 Use appropriate container to avoid environmental contamination.

Hazard determining component(s) for labelling: METCONAZOLE, ALCOHOLS, C6/C12, ETHOXYLATED, DIETHYLENE GLYCOL

#### 2.3. Other hazards

#### According to Regulation (EC) No 1272/2008 [CLP]

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

Date / Revised: 04.09.2014 Version: 6.0

Product: SUNORG PRO

(ID no. 30268006/SDS\_CPA\_GB/EN)

Date of print 06.09.2014

#### **SECTION 3: Composition/Information on Ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

#### **Chemical nature**

crop protection product, fungicide, Emulsifiable concentrate (EC)

#### Hazardous ingredients (GHS)

according to Regulation (EC) No. 1272/2008

metconazole (ISO); (1RS,5RS;1RS,5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-

ylmethyl)cyclopentanol

Content (W/W): 8.6 % CAS Number: 125116-23-6 NDEX-Number: 613-284-00-1 Acute Tox. 4 (oral) Repr. 2 (unborn child) Aquatic Chronic 2 H302, H361d, H411

Alcohols, C9-11, ethoxylated

Content (W/W): < 60 % CAS Number: 68439-46-3

Acute Tox. 4 (oral) Eye Dam./Irrit. 1 H318, H302

2,2'-oxybisethanol; diethylene glycol

Content (W/W): < 40 % CAS Number: 111-46-6 EC-Number: 203-872-2 Acute Tox. 4 (oral) STOT RE (Kidney) 2

H302, H373

REACH registration number: 01-

2119457857-21

NDEX-Number: 603-140-00-6

#### **Hazardous ingredients**

according to Directive 1999/45/EC

metconazole (ISO); (1RS,5RS;1RS,5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1ylmethyl)cyclopentanol

> Content (W/W): 8.6 % CAS Number: 125116-23-6 INDEX-Number: 613-284-00-1 Hazard symbol(s): Xn, N R-phrase(s): 22, 63, 51/53

Date / Revised: 04.09.2014 Version: 6.0

Product: SUNORG PRO

(ID no. 30268006/SDS\_CPA\_GB/EN)

Date of print 06.09.2014

Repr. Cat. 3

Alcohols, C9-11, ethoxylated

Content (W/W): < 60 % CAS Number: 68439-46-3 Hazard symbol(s): Xn R-phrase(s): 22, 41

2,2'-oxybisethanol; diethylene glycol

Content (W/W): < 40 % CAS Number: 111-46-6 EC-Number: 203-872-2

REACH registration number: 01-2119457857-21

INDEX-Number: 603-140-00-6

Hazard symbol(s): Xn R-phrase(s): 22, 48/22

For the classifications not written out in full in this section, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, the full text is listed in section 16.

#### **SECTION 4: First-Aid Measures**

#### 4.1. Description of first aid measures

Remove contaminated clothing.

Show container, label and/or safety data sheet to physician.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

Date / Revised: 04.09.2014 Version: 6.0

Product: SUNORG PRO

(ID no. 30268006/SDS\_CPA\_GB/EN)

Date of print 06.09.2014

#### **SECTION 5: Fire-Fighting Measures**

#### 5.1. Extinguishing media

Suitable extinguishing media:

water spray, foam, dry powder, carbon dioxide

#### 5.2. Special hazards arising from the substance or mixture

carbon monoxide, hydrogen chloride, Carbon dioxide, nitrogen oxides, organochloric compounds The substances/groups of substances mentioned can be released in case of fire.

#### 5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

#### Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

#### **SECTION 6: Accidental Release Measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

#### 6.2. Environmental precautions

Do not allow contamination of public drains or surface or ground waters. Inform local water plc if spillage enters drains and the Environment Agency (England & Wales), the Scottish Environmental Protection Agency (Scotland), or the Environment and Heritage Service (Northern Ireland) if it enters surface or ground waters. Keep people and animals away.

#### 6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage, Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

#### 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

Date / Revised: 04.09.2014 Version: 6.0

Product: SUNORG PRO

(ID no. 30268006/SDS\_CPA\_GB/EN)

Date of print 06.09.2014

#### **SECTION 7: Handling and Storage**

#### 7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

#### 7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Protect from temperatures below: 2 °C

The product crystallizes below the limit temperature.

Protect from temperatures above: 30 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

#### 7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

#### **SECTION 8: Exposure Controls/Personal Protection**

#### 8.1. Control parameters

Components with occupational exposure limits

111-46-6: 2,2'-oxybisethanol; diethylene glycol

TWA value 101 mg/m3; 23 ppm (WEL/EH 40 (UK))

125116-23-6: metconazole (ISO); (1RS,5RS;1RS,5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol

TWA value 1 mg/m3 (Recommendation of BASF), Respirable dust

Refer to the current edition of HSE Guidance Note EH40 Occupational Exposure Limits (United Kingdom). For normal use and handling refer to the product label/leaflet. In all other cases the following apply.

#### 8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Date / Revised: 04.09.2014 Version: 6.0

Product: **SUNORG PRO** 

(ID no. 30268006/SDS\_CPA\_GB/EN)

Date of print 06.09.2014

#### Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) and other

#### Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

#### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

#### General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

#### **SECTION 9: Physical and Chemical Properties**

#### 9.1. Information on basic physical and chemical properties

Form: liquid

Colour: colourless, clear

whitish, cloudy

Odour: faint odour

Odour threshold:

Not determined due to potential

health hazard by inhalation.

pH value: approx. 4.5 - 6.5 (pH Meter)

(1 %(m), 20 °C)

Melting point: approx. -6.5 °C

Information applies to the solvent.

Boiling point:

The product has not been tested.

Flash point: > 80 °C

Evaporation rate:

not applicable

Flammability: not applicable

Lower explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Date / Revised: 04.09.2014 Version: 6.0

Product: SUNORG PRO

Vapour pressure:

(ID no. 30268006/SDS\_CPA\_GB/EN)

(Directive 92/69/EEC, A.15)

Date of print 06.09.2014

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Ignition temperature: 340 - 349 °C

approx. 0.008 hPa

(25 °C)

Information applies to the solvent.

Density: approx. 1.05 g/cm3 (other)

(20 °C)

Relative vapour density (air):

not applicable

Solubility in water: emulsifiable

Partitioning coefficient n-octanol/water (log Kow):

not applicable

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated. Viscosity, dynamic: approx. 28 mPa.s (calculated (from kinemetic

(40 °C) viscosity))

Explosion hazard: Based on the chemical structure

there is no indicating of explosive

properties.

Fire promoting properties: not fire-propagating (Directive 2004/73/EC, A.21)

#### 9.2. Other information

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

#### **SECTION 10: Stability and Reactivity**

#### 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

#### 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

#### 10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

#### 10.4. Conditions to avoid

See MSDS section 7 - Handling and storage.

#### 10.5. Incompatible materials

Substances to avoid:

Date / Revised: 04.09.2014 Version: 6.0

Product: SUNORG PRO

(ID no. 30268006/SDS\_CPA\_GB/EN)

Date of print 06.09.2014

strong acids, strong bases, strong oxidizing agents

#### 10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

#### **SECTION 11: Toxicological Information**

#### 11.1. Information on toxicological effects

#### Acute toxicity

Assessment of acute toxicity:

Of low toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Experimental/calculated data:

LD50 rat (oral): 2,102 mg/kg (OECD Guideline 401)

LC50 rat (by inhalation): > 9.57 mg/l 4 h (calculated)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

LD50 rat (dermal): > 4,000 mg/kg (OECD Guideline 402)

#### **Irritation**

Assessment of irritating effects:

Eye contact causes irritation. Not irritating to the skin.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation: Irritant.

#### Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

Buehler test guinea pig: Skin sensitizing effects were not observed in animal studies. (OECD Guideline 406)

#### Germ cell mutagenicity

Assessment of mutagenicity:

Date / Revised: 04.09.2014 Version: 6.0

Product: SUNORG PRO

(ID no. 30268006/SDS\_CPA\_GB/EN)

Date of print 06.09.2014

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

#### Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: metconazole (ISO); (1RS,5RS;1RS,5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol

Assessment of carcinogenicity:

In long-term studies in rodents exposed to high doses, a tumorigenic effect was found; however, these results are thought to be due to a rodent-specific liver effect that is not relevant to humans.

\_\_\_\_\_

#### Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

#### Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: metconazole (ISO); (1RS,5RS;1RS,5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol

Assessment of teratogenicity:

Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

-----

#### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: metconazole (ISO); (1RS,5RS;1RS,5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol

Assessment of repeated dose toxicity:

Adaptive effects were observed after repeated exposure in animal studies.

Information on: 2,2'-oxybisethanol; diethylene glycol

Assessment of repeated dose toxicity:

The substance may cause damage to the kidney after repeated ingestion.

.\_\_\_\_\_

#### Other relevant toxicity information

Date / Revised: 04.09.2014 Version: 6.0

Product: SUNORG PRO

(ID no. 30268006/SDS\_CPA\_GB/EN)

Date of print 06.09.2014

Misuse can be harmful to health.

#### **SECTION 12: Ecological Information**

#### 12.1. Toxicity

Assessment of aquatic toxicity:

Acutely toxic for aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Toxicity to fish:

LC50 (96 h) 10 mg/l, Oncorhynchus mykiss (OECD 203; ISO 7346; 92/69/EEC, C.1, static)

Aquatic invertebrates:

EC50 (48 h) 9.28 mg/l, Daphnia magna (Directive 92/69/EEC, C.2, static)

Aquatic plants:

EC50 (72 h) 3.94 mg/l, Selenastrum capricornutum (Guideline 92/69/EEC, C.3)

#### 12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: metconazole (ISO); (1RS,5RS;1RS,5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol

Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria).

\_\_\_\_\_

#### 12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: metconazole (ISO); (1RS,5RS;1RS,5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol

Bioaccumulation potential:

Bioconcentration factor: 51 - 80, Lepomis macrochirus

Does not accumulate in organisms.

-----

#### 12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Date / Revised: 04.09.2014 Version: 6.0

Product: SUNORG PRO

(ID no. 30268006/SDS\_CPA\_GB/EN)

Date of print 06.09.2014

Information on: metconazole (ISO); (1RS,5RS;1RS,5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol

Assessment transport between environmental compartments:

Volatility: The substance will not evaporate into the atmosphere from the water surface.

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: 2,2'-oxybisethanol; diethylene glycol

Assessment transport between environmental compartments:

Volatility: The substance will not evaporate into the atmosphere from the water surface.

Adsorption in soil: Adsorption to solid soil phase is not expected.

\_\_\_\_\_

#### 12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

#### 12.6. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

#### 12.7. Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

#### **SECTION 13: Disposal Considerations**

#### 13.1. Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Must be disposed of or incinerated in accordance with local regulations.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

Date / Revised: 04.09.2014 Version: 6.0

Product: SUNORG PRO

(ID no. 30268006/SDS\_CPA\_GB/EN)

Date of print 06.09.2014

#### **SECTION 14: Transport Information**

#### Land transport

**ADR** 

UN number UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains METCONAZOLE)

Transport hazard class(es): 9, EHSM Packing group: III

Environmental hazards: yes Special precautions for Tun

user:

Tunnel code: E

**RID** 

UN number UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains METCONAZOLE)

Transport hazard class(es): 9, EHSM Packing group: III Environmental hazards: yes

Special precautions for None

user:

None known

#### **Inland waterway transport**

ADN

UN number UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains METCONAZOLE)

Transport hazard class(es): 9, EHSM Packing group: III Environmental hazards: yes

Special precautions for

None known

user:

Transport in inland waterway vessel:

Not evaluated

Sea transport

**IMDG** 

UN number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains METCONAZOLE)

Transport hazard class(es): 9, EHSM

Packing group:

Date / Revised: 04.09.2014 Version: 6.0

Product: SUNORG PRO

(ID no. 30268006/SDS\_CPA\_GB/EN)

Date of print 06.09.2014

Environmental hazards: yes

Marine pollutant: YES

Special precautions for

user:

None known

#### Air transport

IATA/ICAO

UN number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains METCONAZOLE)

Transport hazard class(es): 9, EHSM Packing group: III Environmental hazards: yes

Special precautions for None known

user:

#### 14.1. UN number

See corresponding entries for "UN number" for the respective regulations in the tables above.

#### 14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

#### 14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

#### 14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

#### 14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

#### 14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

#### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Regulation:
Shipment approved:
Pollution name:
Pollution category:
Not evaluated

Date / Revised: 04.09.2014 Version: 6.0

Product: **SUNORG PRO** 

(ID no. 30268006/SDS\_CPA\_GB/EN)

Date of print 06.09.2014

#### **Further information**

This product is subject to the most recent edition of "The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations" and their amendments (United Kingdom).

#### **SECTION 15: Regulatory Information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

To avoid risks to man and the environment, comply with the instructions for use.

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

This product is classified under the Chemicals (Hazard Information and Packaging) Regulations, (CHIP) (United Kingdom).

This product may be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments if specific threshold tonnages are exceeded (United Kingdom).

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

#### 15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

#### **SECTION 16: Other Information**

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Full text of the classifications, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, if mentioned in section 2 or 3:

Xn Harmful.

N Dangerous for the environment.

22 Harmful if swallowed.

Possible risk of harm to the unborn child.

51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

41 Risk of serious damage to eyes.

48/22 Also harmful: danger of serious damage to health by prolonged exposure

if swallowed.

Eye Dam./Irrit. Serious eye damage/eye irritation

Repr. Reproductive toxicity

STOT RE Specific target organ toxicity — repeated exposure
Aquatic Chronic Hazardous to the aquatic environment - chronic

Acute Tox. Acute toxicity

Repr. Cat. 3 Reprotoxic substances (fertility or development) Category 3: Substances

Page: 17/17

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 04.09.2014 Version: 6.0

Product: **SUNORG PRO** 

(ID no. 30268006/SDS\_CPA\_GB/EN)

Date of print 06.09.2014

which cause concern for humans owing to possible developmental toxic

effects or substances which cause concern for human fertility.

H302 Harmful if swallowed.
H361d Suspected of damaging the unborn child.

H361d Suspected of damaging the unborn child.
H411 Toxic to aquatic life with long lasting effects.

H318 Causes serious eye damage.

H373 May cause damage to organs (Kidney) through prolonged or repeated

exposure.

If you have any queries relating to this MSDS, it's contents or any other product safety related questions, please write to the following e-mail address: product-safety-north@basf.com

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.