

Safety data sheet

Page: 1/17

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 27.03.2017 Version: 8.0

Product: Vivid 200

(ID no. 30647693/SDS_CPA_GB/EN)

Date of print 01.10.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Vivid 200

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, fungicide

1.3. Details of the supplier of the safety data sheet

Company: BASF SE 67056 Ludwigshafen GERMANY Contact address:
BASF plc
PO Box 4, Earl Road, Cheadle Hulme,
Cheadle, Cheshire
SK8 6QG, UNITED KINGDOM

_ . .

Telephone: +44 161 485-6222

E-mail address: product-safety-north@basf.com

1.4. Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

Asp. Tox. 1

Acute Tox. 4 (Inhalation - vapour)

Date / Revised: 27.03.2017 Version: 8.0

Product: Vivid 200

(ID no. 30647693/SDS_CPA_GB/EN)

Date of print 01.10.2018

Acute Tox. 4 (oral) Skin Corr./Irrit. 2 Eye Dam./Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1

H319, H315, H332, H302, H317, H304, H400, H410, EUH401

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

Globally Harmonized System (GHS) in accordance with UK regulations.

Pictogram:







Signal Word: Danger

Hazard Statement:

H319 Causes serious eye irritation.

H315 Causes skin irritation. H332 Harmful if inhaled. H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the

instructions for use.

Precautionary Statement:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

Precautionary Statements (Prevention):

P261 Avoid breathing vapours.

P264 Wash contaminated body parts thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/clothing.

Precautionary Statements (Response):

Date / Revised: 27.03.2017 Version: 8.0

Product: Vivid 200

(ID no. 30647693/SDS_CPA_GB/EN)

Date of print 01.10.2018

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or

doctor/physician.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P330 Rinse mouth.

P331 Do NOT induce vomiting.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P361 Take off immediately all contaminated clothing.

P391 Collect spillage.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to a licensed hazardous-waste disposal

contractor or collection site except for empty clean containers which can

be disposed of as non-hazardous waste.

According to Regulation (EC) No 1272/2008 [CLP]

Hazard determining component(s) for labelling: PYRACLOSTROBIN, SOLVENT NAPHTHA

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

crop protection product, fungicide, Emulsifiable concentrate (EC)

Hazardous ingredients (GHS)

according to Regulation (EC) No. 1272/2008

pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate

Date / Revised: 27.03.2017 Version: 8.0

Product: Vivid 200

(ID no. 30647693/SDS_CPA_GB/EN)

Date of print 01.10.2018

Content (W/W): 19.2 % CAS Number: 175013-18-0 INDEX-Number: 613-272-00-6 Acute Tox. 3 (Inhalation - mist)

Skin Corr./Irrit. 2

STOT SE 3 (irr. to respiratory syst.)

Aquatic Acute 1
Aquatic Chronic 1
M-factor acute: 100
M-factor chronic: 100

H315, H331, H335, H400, H410

solvent naphtha

Content (W/W): < 55 %
CAS Number: 64742-94-5
REACH registration number: 01-

Asp. Tox. 1 Aquatic Chronic 2 H304, H411

2119451097-39

Alcohols, C16-18, ethoxylated propoxylated

Content (W/W): < 20 % CAS Number: 68002-96-0 Acute Tox. 2 (Inhalation - mist)

Aquatic Acute 1 Aquatic Chronic 3 M-factor acute: 1 H330, H412, H400

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts

Content (W/W): < 5 %
CAS Number: 84989-14-0
EC-Number: 284-903-7
REACH registration number: 01-

Skin Corr./Irrit. 2 Eye Dam./Irrit. 1 Aquatic Chronic 3 H318, H315, H412

2119560592-37

2-Ethylhexan-1-ol

Content (W/W): < 2 % CAS Number: 104-76-7 EC-Number: 203-234-3 Acute Tox. 4 (Inhalation - mist)

Skin Corr./Irrit. 2 Eye Dam./Irrit. 2

REACH registration number: 01-2119487289-20

STOT SE 3 (irr. to respiratory syst.)

H319, H315, H332, H335

naphthalene

Content (W/W): < 0.5 % CAS Number: 91-20-3

EC-Number: 202-049-5 INDEX-Number: 601-052-00-2 Acute Tox. 4 (oral)

Carc. 2

Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 1 M-factor chronic: 1

H302, H351, H400, H410

Date / Revised: 27.03.2017 Version: 8.0

Product: Vivid 200

(ID no. 30647693/SDS_CPA_GB/EN)

Date of print 01.10.2018

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Show container, label and/or safety data sheet to physician.

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

After contact with skin, wash immediately with plenty of water and soap. If irritation develops, seek medical attention.

Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink plenty of water, do not induce vomiting, seek medical attention. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

4.3. Indication of any immediate medical attention and special treatment needed Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:

water spray, carbon dioxide, foam, dry powder

5.2. Special hazards arising from the substance or mixture

Date / Revised: 27.03.2017 Version: 8.0

Product: Vivid 200

(ID no. 30647693/SDS_CPA_GB/EN)

Date of print 01.10.2018

carbon monoxide, Hydrogen chloride, Carbon dioxide, nitrogen oxides, sulfur oxides, organochloric compounds

The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

6.2. Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Do not allow contamination of public drains or surface or ground waters. Inform local water plc if spillage enters drains and the Environment Agency (England & Wales), the Scottish Environmental Protection Agency (Scotland), or the Environment and Heritage Service (Northern Ireland) if it enters surface or ground waters. Keep people and animals away.

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Cleaning operations should be carried out only while wearing breathing apparatus.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Date / Revised: 27.03.2017 Version: 8.0

Product: Vivid 200

(ID no. 30647693/SDS_CPA_GB/EN)

Date of print 01.10.2018

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight. Store protected against freezing.

Protect from temperatures below: 0 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

91-20-3: naphthalene

TWA value 50 mg/m3; 10 ppm (OEL (EU)) indicative

Refer to the current edition of HSE Guidance Note EH40 Occupational Exposure Limits (United Kingdom). For normal use and handling refer to the product label/leaflet.

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Date / Revised: 27.03.2017 Version: 8.0

Product: Vivid 200

(ID no. 30647693/SDS_CPA_GB/EN)

Date of print 01.10.2018

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

Environmental exposure controls

For information regarding environmental exposure controls, see Section 6.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form: liquid Colour: dark yellow

Odour: faint odour, of the solvent contained in the product

Odour threshold:

Not determined since harmful by

inhalation.

pH value: approx. 5 - 7 (pH Meter)

(water, 1 %(m), 20 °C)

solidification temperature: < -20 °C (measured)

onset of boiling: approx. 244 °C

Information applies to the solvent.

Flash point: 104 °C (Directive 92/69/EEC, A.9)

Evaporation rate:

not applicable

Flammability: not applicable

Lower explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Ignition temperature: 450 °C (Directive 92/69/EEC, A.15)

Date / Revised: 27.03.2017 Version: 8.0

Product: Vivid 200

(ID no. 30647693/SDS_CPA_GB/EN)

Date of print 01.10.2018

Vapour pressure: approx. 0.003 kPa

(20 °C)

Information applies to the solvent.

Density: approx. 1.04 g/cm3

(20 °C)

Relative vapour density (air):

not applicable

Solubility in water: emulsifiable

Partitioning coefficient n-octanol/water (log Kow):

not applicable

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Viscosity, dynamic: approx. 13.3 mPa.s

(40 °C, 100 1/s)

Viscosity, kinematic: approx. 12.9 mm2/s

(40 °C)

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating (UN Test O.2 (oxidizing

liquids))

(OECD 114)

9.2. Other information

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

10.4. Conditions to avoid

See MSDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid:

strong oxidizing agents, strong bases, strong acids

10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Date / Revised: 27.03.2017 Version: 8.0

Product: Vivid 200

(ID no. 30647693/SDS_CPA_GB/EN)

Date of print 01.10.2018

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Of moderate toxicity after single ingestion. Of moderate toxicity after short-term inhalation. Virtually nontoxic after a single skin contact.

Experimental/calculated data:

LD50 rat (oral): approx. 500 mg/kg (OECD Guideline 423)

LC50 rat (by inhalation): 4.48 mg/l 4 h (OECD Guideline 403)

An aerosol with respirable particles was tested.

LD50 rat (dermal): > 5,000 mg/kg (OECD Guideline 402)

Irritation

Assessment of irritating effects:

Eye contact causes irritation. Skin contact causes irritation.

Experimental/calculated data:

Skin corrosion/irritation rabbit: Irritant. (OECD Guideline 404)

Serious eye damage/irritation rabbit: Irritant. (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

Sensitization after skin contact possible.

Experimental/calculated data:

Guinea pig maximization test guinea pig: Caused skin sensitization in animal studies. (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: naphthalene

Date / Revised: 27.03.2017 Version: 8.0

Product: Vivid 200

(ID no. 30647693/SDS_CPA_GB/EN)

Date of print 01.10.2018

Assessment of carcinogenicity:

In long-term studies in rats and mice in which the substance was given by inhalation, a carcinogenic effect was observed. EU-classification The substance was classified as a group 3 carcinogen by the German MAK-Commission (substances for which a suspicion of a carcinogenic potential exists). IARC (International Agency for Research on Cancer) has classified this substance as group 2B (The agent is possibly carcinogenic to humans).

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-

yloxymethyl]phenyl}(N-methoxy)carbamate

Assessment of repeated dose toxicity:

After repeated exposure the prominent effect is local irritation. The substance may cause damage to the olfactory epithelium after repeated inhalation.

Information on: 2-Ethylhexan-1-ol

Assessment of repeated dose toxicity:

Repeated exposure to high doses of the substance causes reversible liver changes in rodents.

According to present knowledge, these effects do not occur in man.

Information on: naphthalene

Assessment of repeated dose toxicity:

The substance may cause damage to the olfactory epithelium after repeated inhalation.

Date / Revised: 27.03.2017 Version: 8.0

Product: Vivid 200

(ID no. 30647693/SDS_CPA_GB/EN)

Date of print 01.10.2018

Information on: Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts Assessment of repeated dose toxicity:

After repeated exposure the prominent effect is local irritation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aspiration hazard

May also damage the lung at swallowing (aspiration hazard).

Other relevant toxicity information

Misuse can be harmful to health.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

Toxicity to fish:

LC50 (96 h) 0.036 mg/l, Oncorhynchus mykiss (OECD 203; ISO 7346; 84/449/EEC, C.1)

Aquatic invertebrates:

EC50 (48 h) 0.065 mg/l, Daphnia magna (Directive 92/69/EEC, C.2, static)

Aquatic plants:

EC50 (72 h) 14.2 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate

Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria).

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Date / Revised: 27.03.2017 Version: 8.0

Product: Vivid 200

(ID no. 30647693/SDS_CPA_GB/EN)

Date of print 01.10.2018

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-vloxymethyl]phenyl}(N-methoxy)carbamate

Bioaccumulation potential:

Bioconcentration factor: 379 - 507. Oncorhynchus mykiss (OECD-Guideline 305)

Accumulation in organisms is not to be expected.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

12.7. Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

Date / Revised: 27.03.2017 Version: 8.0

Product: Vivid 200

(ID no. 30647693/SDS_CPA_GB/EN)

Date of print 01.10.2018

SECTION 14: Transport Information

Land transport

ADR

UN number UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains SOLVENT NAPHTHA, PYRACLOSTROBIN,

FATTY ALCOHOL ETHOXYLATE)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for Tunnel code: E

user:

RID

UN number UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains SOLVENT NAPHTHA, PYRACLOSTROBIN,

FATTY ALCOHOL ETHOXYLATE)

Transport hazard class(es): 9, EHSM

Packing group: III

Environmental hazards: yes

Special precautions for None known

user:

Inland waterway transport

ADN

UN number UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains SOLVENT NAPHTHA, PYRACLOSTROBIN,

FATTY ALCOHOL ETHOXYLATE)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for

user:

None known

Transport in inland waterway vessel

Not evaluated

Sea transport

Date / Revised: 27.03.2017 Version: 8.0

Product: Vivid 200

(ID no. 30647693/SDS_CPA_GB/EN)

Date of print 01.10.2018

IMDG

UN number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains SOLVENT NAPHTHA, PYRACLOSTROBIN,

FATTY ALCOHOL ETHOXYLATE)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Marine pollutant: YES

Special precautions for

user:

None known

Air transport

IATA/ICAO

UN number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains SOLVENT NAPHTHA, PYRACLOSTROBIN,

FATTY ALCOHOL ETHOXYLATE)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for None known

user:

14.1. UN number

See corresponding entries for "UN number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

Date / Revised: 27.03.2017 Version: 8.0

Product: Vivid 200

(ID no. 30647693/SDS_CPA_GB/EN)

Date of print 01.10.2018

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation: Not evaluated
Shipment approved: Not evaluated
Pollution name: Not evaluated
Pollution category: Not evaluated
Ship Type: Not evaluated

Further information

This product is subject to the most recent edition of "The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations" and their amendments (United Kingdom).

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This product is classified under the European CLP Regulation. (United Kingdom)

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

This product may be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments if specific threshold tonnages are exceeded (United Kingdom).

15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

SECTION 16: Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

Asp. Tox. Aspiration hazard Acute Tox. Acute toxicity

Skin Corr./Irrit. Skin corrosion/irritation

Eye Dam./Irrit. Serious eye damage/eye irritation

Skin Sens. Skin sensitization

Aquatic Acute Hazardous to the aquatic environment - acute
Aquatic Chronic Hazardous to the aquatic environment - chronic
STOT SE Specific target organ toxicity — single exposure

Carc. Carcinogenicity

Date / Revised: 27.03.2017 Version: 8.0

Product: Vivid 200

H412

H318

H351

(ID no. 30647693/SDS_CPA_GB/EN)

	Date of print 01.10.2018
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H332	Harmful if inhaled.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H304	May be fatal if swallowed and enters airways.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the
	instructions for use.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.
H330	Fatal if inhaled.

If you have any queries relating to this MSDS, it's contents or any other product safety related questions, please write to the following e-mail address: product-safety-north@basf.com

Causes serious eye damage.

Suspected of causing cancer.

Harmful to aquatic life with long lasting effects.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.