

# Autumn Parasite Control



CYDECTIN TriclaMox Pour-On

## MEETING THE FLUKE & WORM CHALLENGE

zoetis

# Treat and house at the same time



Treating cattle for fluke and worms at housing, rather than delaying or offering no treatment at all, can help improve growth rates by treating subclinical disease and avoiding double handling

## Why treat for fluke & worms at housing?

Fluke & Worms can **IMPACT ON PRODUCTIVITY** through subclinical disease



## Why avoid double handling?



Avoid double handling to reduce stress & subsequent impact on growth rates

## Suitable for many classes of stock



All 1st grazing season calves

2nd grazing season animals over 143 days from slaughter

All breeding stock

# CYDECTIN TriclaMox Pour-On for Cattle

- **A combination fluke & worm pour-on**
  - Manages mixed burdens in one treatment
- **Contains moxidectin**
  - A potent formulation providing the most effective\* ML efficacy against resistant worms
- **Contains triclabendazole**
  - Offering an effective control of immature and adult fluke in a pour-on combination
- **Lice-free guarantee**
  - Licensed for biting and sucking lice
- **Rainfast formulation**
  - Rainfall before or after treatment will not affect the efficacy of the product

\* Ranjan, S. et. al. Vet Parasitol. 2002



# What are the threats to animal welfare and productivity?




## Gut worms

- ▶ 30% reduction in growth rate<sup>1</sup>
- ▶ Reduced carcass quality or milk production<sup>1</sup>



## Lungworm

- ▶ Damaged lungs increases risk of respiratory disease<sup>2</sup>
- ▶ 4-5kg a day milk production decrease<sup>2</sup>



## Lice

- ▶ The impact of lice can lead to less time eating and lying, which can lead to a reduction in weight gain



## Fluke

- ▶ Reduced:
  - ▶ Live weight gain
  - ▶ Fertility
  - ▶ Milk production
- ▶ Cattle can take an additional 80 days to reach market weight<sup>3</sup>

1. Control of Worms Sustainably (COWS) [www.cattleparasites.org.uk](http://www.cattleparasites.org.uk)
2. Charlier, J. et al 2014: Trends in Parasitology, Vol. 30, No. 7
3. Better Returns from Controlling Liver Fluke. Agriculture and Horticulture Development Board 2012

**SPEAK TO YOUR ANIMAL HEALTH ADVISER FOR FURTHER DETAILS**

CYDECTIN TRICLAMOX 5 MG/ML + 200 MG/ML POUR-ON SOLUTION FOR CATTLE contains moxidectin and triclabendazole. POM-VPS  
For further information: Zoetis UK Limited, First Floor, Birchwood Building, Springfield Drive, Leatherhead KT22 7LP  
[www.zoetis.co.uk](http://www.zoetis.co.uk) Customer Support: 0845 300 8034  
Use medicines responsibly ([www.noah.co.uk/responsible](http://www.noah.co.uk/responsible)).  
Date of preparation: July 2020 MM-09691

**zoetis**