

Autumn Parasite Control



CYDECTIN 2% LA Injection

MEETING THE SCAB CHALLENGE

zoetis

What is sheep scab?

Just 25 mites
can give rise to
OVER 1 MILLION
within
12 weeks



Scab is
**HIGHLY
CONTAGIOUS**
as mites live
on skin

Why use a persistent scab treatment?

17 Days

Length of time scab mites
can survive off-host

60 Days

CYDECTIN 2% LA Persistency

CYDECTIN 2% LA For Sheep:

- **Single-shot treatment for scab giving 60 days persistency**
- **Offers flexibility for whole flock scab control**
- **Protection from reinfection of scab during this time**
- **Treat and return animals to the same field**
- **6-week window for treatment of sheep on neighbouring farms**
- **Allows regional scab control programmes**
- **Suitable for use with footrot vaccine**
- **Scab-free guarantee**
 - If during the persistency period you are concerned CYDECTIN 2% LA hasn't delivered, Zoetis will (in conjunction with your animal health advisor):
 1. Conduct a thorough investigation of the scab control status of the treated sheep
 2. Pay the costs of associated laboratory tests
 3. Prepare a scab control plan tailored to your farm



How can farmers help to prevent sheep scab?



Have good biosecurity



Quarantine new sheep




Disinfect equipment



Use quality fencing



Avoid contact



Keep sheep off infected field

SPEAK TO YOUR ANIMAL HEALTH ADVISER FOR FURTHER DETAILS

CYDECTIN 20 MG/ML LA SOLUTION FOR INJECTION FOR SHEEP contains moxidectin. POM-VPS
For further information: Zoetis UK Limited, First Floor, Birchwood Building, Springfield Drive, Leatherhead KT22 7LP
www.zoetis.co.uk Customer Support: 0845 300 8034
Use medicines responsibly (www.noah.co.uk/responsible).
Date of preparation: July 2020 MM-09692

